DTIC FILE COPY



Defense Nuclear Agency Alexandria, VA 22310-3398



DNA-TR-90-92

DNA Chemistry Panel Review—CO₂

Douglas H. Archer Mission Research Corporation P.O. Drawer 719 Santa Barbara, CA 93102

December 1990

AD-A229

Technical Report



CONTRACT No. DNA 001-88-C-0029

Approved for public release; distribution is unlimited.

Destroy this report when it is no longer needed. Do not return to sender.

PLEASE NOTIFY THE DEFENSE NUCLEAR AGENCY, ATTN: CSTI, 6801 TELEGRAPH ROAD, ALEXANDRIA, VA 22310-3398, IF YOUR ADDRESS IS INCORRECT, IF YOU WISH IT DELETED FROM THE DISTRIBUTION LIST, OR IF THE ADDRESSEE IS NO LONGER EMPLOYED BY YOUR ORGANIZATION.

DISTRIBUTION LIST UPDATE

This mailer is provided to enable DNA to maintain current distribution lists for reports. We would appreciate your providing the requested information.

Add the individual listed to your distribution list.Delete the cited organization/individual.	NOTE: Please return the mailing label from the document so that any additions, changes, corrections or deletions can be made more easily.
Change of address.	
NAME.	
ORGANIZATION:	
OLD ADDRESS	CURRENT ADDRESS
TELEPHONE NUMBER: ()	
SUBJECT AREA(s) OF INTEREST:	
DNA OR OTHER GOVERNMENT CONTRACT NUMBER: _	-
CERTIFICATION OF MEET TO WARDIN BY COMERMANT	CRONCOR () DATA
CERTIFICATION OF NEED-TO-KNOW BY GOVERNMENT	SPONSOR (if other than DINA)
SPONSORING ORGANIZATION	
CONTRACTING OFFICER OR REPRESENTATIVE	
JA ARGINA OF IGER ON NEFRESENTATIVE. LEE	
SIGNATURE	





REPORT DOCUMENTATION PAGE

Form: Approved OMB No. 0704.0188

Public reporting burden for this collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of the collection of information, including suggestions for reducing this burden, to Washington Headquarters Services, Directorate for information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302, and to the Office of Management and Budget, Paperwork Reduction Project (0704-0188), Washington, DC 20503.

1. AGENCY USE ONLY (Leave blank) 2. REPORT DATE 3. REPORT TY 901201 Technical 89	PE AND DATES COVERED 1001 – 900331
4. TITLE AND SUBTITLE DNA Chemistry Panel Review—CO ₂	5. FUNDING NUMBERS C - DNA 001-88-C-0029 PE - 62715H
6. AUTHOR(s) Douglas H. Archer	PR - SA TA - SA WU - DH 048120
7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES) Mission Research Corporation P.O. Drawer 719 Santa Barbara, CA 93102	8. PERFORMING ORGANIZATION REPORT NUMBER MRC-R-1290
9. SPONSORING/MONITORING AGENCY NAME(S) AND ADDRESS(ES) Defense Nuclear Agency 6801 Telegraph Road Alexandria, VA 22310-3398 RAAE/Schwartz	10. SPONSORING/MONITORING AGENCY REPORT NUMBER DNA-TR-90-92
11. SUPPLEMENTARY NOTES This work was sponsored by the Defense Nuclear Agency under B 7660 D SA SA RAAE 3200 A PE 63220X 25904D.	RDT&E RMC Code
12a. DISTRIBUTION/AVAILABILITY STATEMENT Approved for public release; distribution is unlimited.	12b. DISTRIBUTION CODE

13. ABSTRACT (Maximum 200 words)

This report is a review of the key parameters involved in the calculation of infrared radiation from CO_2 in a nuclear environment. These parameters include chemical rate coefficients for the formation/destruction of CO_2 , rates for collisional excitation/deexcitation of certain vibrational states, and optical parameters including frequencies, Einstein A coefficients and ρB factors for bands of CO_2 originating from vibrational states up to about 5000 cm⁻¹. The rate coefficients are presented in tabular and graphical form and the optical parameters in tabular form. Uncertainty estimates are provided.

14. SUBJECT TERMS CO ₂ reaction rates CO ₂ transition probability	CO ₂ vibrational excitations Einstein coefficients/C		15. NUMBER OF PAGES 56 16. PRICE CODE
17. Security CLASSIFICATION OF REPORT UNCLASSIFIED	18. Security CLASSIFICATION OF THIS PAGE UNCLASSIFIED	19. Security CLASSIFICATION OF ABSTRACT UNCLASSIFIED	20. LIMITATION OF ABSTRACT SAR

UNCLASSIFIED

SECURITY CLASSIFICATION OF THIS PAGE CLASSIFIED BY: N/A since Unclassified DECLASSIFY ON: N/A since Unclassified SECURITY CLASSIFICATION THIS PAGE

UNCLASSIFIED

PREFACE

The author is grateful to a number of colleagues at MRC including Mrs. Susan Downer, Drs. Jack Kennealy and Robert Larkin for their helpful suggestions and also, especially, to Dr. Forrest Gilmore (RDA) for his careful review of the preliminary draft of this report and his recommendations for its improvement. Thanks also go to Dr. William Blumberg (GL), Chairman of the DNA Chemistry Panel, and to Dr. Kenneth Schwartz (DNA) for providing the motivation for this work.

Acce	ssion For	
NTIS	GRA&I	The state of the s
DTIC	TAB	A
Unani	nounced	ñ
Just:	ification_	
	lability (
	Avail and	/or
Dist	Special	
A-1		



CONVERSION TABLE

Conversion factors for U.S. Customary to metric (SI) units of measurement

MULTIPLY

TO GET

BY

BY

TO GET

DIVIDE

angstrom	1.000000 x E -10	meters (m)
atmosphere (normal)	1.01325 × E +2	kilo pascal (kPa)
bar	1.000000 × E +2	kilo pascal (kPa)
barn	1.000000 × E -28	meter ² (m ²)
British thermal unit (thermochemical)	1.054350 × E +3	joule (J)
calorie (thermochemical)	4.184000	joule (J)
cal (thermochemical) / cm ²	4.184000 × E -2	mega joule/ m^2 (MJ/ m^2)
curie	3.700000 × E +1	*giga becquerel (GBq)
degree (angle)	1.745329 x E -2	radian (rad)
degree Farenheit	$t_K = (t_F + 459.67)/1.8$	degree kelvin (K)
electron volt	1.60219 x E -19	joule (J)
erg	1.000000 × E -7	joule (J)
erg/second	1.000000 × E -7	watt (W)
foot	3.048000 × E -1	meter (m)
foot-pound-force	1.355818	joule (J)
gallon (U.S. liquid)	3.785412 × E -3	meter ³ (m ³)
inch	2.540000 × E -2	meter (m)
jerk	1.000000 × E +9	joule (J)
joule/kilogram (J/kg) (radiation dose absorbed)	1.000000	Gray (Gy)
kilotons	4.183	terajoules
kip (1000 lbf)	4.448222 × E +3	newton (N)
kip/inch ² (ksi)	6.894757 × E +3	kilo pascal (kPa)
ktap	1.000000 × E +2	newton-second/m ² $(N-s/m^2)$
micron	1.000000 x E -6	meter (m)
mil	2.540000 × E -5	meter (m)
mile (international)	1.609344 × E +3	meter (m)
ounce	2.834952 × E -2	kilogram (kg)
pound-force (lbs avoirdupois)	4.448222	newton (N)
pound-force inch	1.129848 × E -1	newton-meter (N m)
pound-force/inch	1.751268 × E +2	newton/meter (N/m)
pound-force/foot ²	4.788026 × E -2	kilo pascal (kPa)
pound-force/inch ² (psi)	6.894757	kilo pascal (kPa)
· · · · · · · · · · · · · · · · · · ·	l	1

6.894757 4.535924 × E -1

 $4.214011 \times E - 2$

 $1.601846 \times E + 1$

1.000000 x E -2

2.579760 x E -4

1.0000000 x E -8

 $1.459390 \times E + 1$

 $1.333220 \times E - 1$

kilogram (kg)

**Gray (Gy)

kilogram (kg)

kilo pascal (kPa)

second (s)

kilogram-meter² (kg·m²)

kilogram/meter³ (kg/m³)

coulomb/kilogram (C/kg)

torr (mm Hg, 0° C) *The becquerel (Bq) is the SI unit of radioactivity; 1 Bq = 1 event/s.
**The Gray (Gy) is the SI unit of absorbed radiation.

pound-mass/foot3

roentgen

shake

slug

pound-mass (lbm avoirdupois)

rad (radiation dose absorbed)

pound-mass-foot2 (moment of inertia)

TABLE OF CONTENTS

Sec	tion	Page
	PREFACE	. iii
	CONVERSION TABLE	iv
	LIST OF ILLUSTRATIONS	vi
	LIST OF TABLES	vii
1	INTRODUCTION	1
2	CHEMICAL REACTION RATES	2
3	VIBRATIONAL EXCITATION/DEEXCITATION RATES	12
4	OPTICAL PARAMETERS FOR CO2 INFRARED BANDS	27
5	LIST OF REFERENCES	38

LIST OF ILLUSTRATIONS

Figure		Page
1	Rate coefficient for the $CO + O + M \rightarrow CO_2 + M$ reaction	4
2	Rate coefficients for the $CO_2 + M \rightarrow CO + O + M$ reaction	5
3	Rate coefficient for the $CO + OH \rightarrow CO_2 + H$ reaction	6
4	Rate coefficient for the $CO_2 + H \rightarrow CO + OH$ reaction	7
5	Rate coefficient for the $CO + O_2 \rightarrow CO_2 + O$ reaction	8
6	Rate coefficient for the $CO_2 + O \rightarrow CO + O_2$ reaction	9
7	Rate coefficient for the $CO + HO_2 \rightarrow CO_2 + OH$ reaction	10
8	Rate coefficient for the $CO_2(00^00) + N_2 \rightarrow CO_2(00^01) + N_2$ reaction	15
9	Rate coefficient for the $CO_2(00^01) + M \rightarrow CO_2(\nu_2) + M$ reaction	16
10	Rate coefficient for the $CO_2(00^01) + N_2(0) \rightarrow CO_2(00^00) + N_2(1)$ reaction	17
11	Rate coefficient for the $CO_2(010) + N_2 \rightarrow CO_2(00^00) + N_2$ reaction .	18
12	Rate coefficient for the $CO_2(010) + O_2 \rightarrow CO_2(00^00) + O_2$ reaction .	19
13	Rate coefficient for the $CO_2(010) + O \rightarrow CO_2(00^00) + O$ reaction	20
14	Rate coefficient for the $CO_2(020) + N_2 \rightarrow CO_2(010) + N_2$ reaction .	21
15	Rate coefficient for the $CO_2(00^00) + O_2(1) \rightarrow CO_2(\nu_2) + O_2(0)$ reaction	22
16	Rate coefficient for the $CO_2(100) + M \rightarrow CO_2(020) + M$ reaction	23
17	Rate coefficients for the reactions $e + CO_2(00^00) \rightarrow e + CO_2^{\dagger} \dots$	24

LIST OF TABLES

Table		Page
1	CO ₂ formation/destruction reactions and rate coefficients	. 3
2	CO ₂ vibrational excitation/deexcitation rates	13
3	Vibrational states and energies of CO_2	28
4	Individual and composite bands of CO_2	30
5	Some optical parameters for individual bands of CO_2 (isotope 626)	33
6	Some optical parameters for composite bands of CO_2 (isotope 626)	35

SECTION 1

INTRODUCTION

As part of the DNA Chemistry Panel Review, these pages summarize the results of our efforts to provide a reasonably up-to-date compendium of key parameters involved in the calculation of infrared radiation from CO_2 in a nuclear environment. These parameters are: chemical rate-coefficient values (or expressions) for formation/destruction of CO_2 , rates for collisional excitation/deexcitation of certain vibrational states and optical parameters including frequencies, Einstein A coefficients and ρB factors for bands of CO_2 originating from vibrational levels up to about 5000 cm⁻¹.

Use has been made of earlier reaction-rate reviews and these have been augmented by our own literature searches of Physics Abstracts through October 1989. Where sufficient data exist to permit it, reaction rates as functions of temperature are presented in graphical form with laboratory data points included. Recommended rate-coefficient expressions are given, where possible, as well as the estimated uncertainty of each. No attempt has been made to provide "guesses" for quantities that may be of interest to the DNA community, such as excitation/deexcitation rate coefficients for certain vibrational states, for which no literature values have been found.

The data are presented in the following order: (1) chemical reaction-rate coefficients, (2) collisional-quenching rate coefficients for CO_2 vibrational states and (3) optical parameters for CO_2 infrared bands.

SECTION 2

CHEMICAL REACTION RATES

The reactions involving the production and destruction of CO_2 considered here are based largely on those in the ARCHON code (Ref. 64) supplemented with a few additional ones involving certain ion-molecule reactions. Table 1 lists the reactions, together with our recommended rate coefficients and suggested uncertainty factors. The rates for the neutral reactions are based on details presented in Figures 1 through 7. A number of the reactions are listed as pairs (a) and (b) with (a) representing the forward (exothermic) reaction and (b) representing the reverse (endothermic) reaction. Most of the rate coefficients are expressed in the standard form 1

$$k = a(T/300)^b e^{-c/T} (1)$$

where the constants a, b, c are given in Table 1. Two-body reaction rates have units cm³ particle $^{-1}$ sec⁻¹; three-body rates have units cm⁶ particle $^{-2}$ sec⁻¹. The third column in Table 1 lists the exothermicity, ΔE , of each reaction in eV. A negative value for ΔE indicates that the reaction is endothermic by the amount shown.

Uncertainty factors in Table 1 are listed either in the form $(1 \pm x)$, which is self explanatory, or as single factors. In the latter case, an uncertainty factor 2, for example, means that the rate coefficient, k, is estimated to lie within the limits 2k and k/2. The uncertainty factors are based partially on estimates given in previous literature reviews and partially on "eyeball" estimates of the spread in the experimental data. They pertain to the temperature ranges cited in Table 1. For temperatures outside these ranges, the uncertainties are presumed to be larger.

The last column in Table 1 provides either references for a given reaction rate or else it refers to a specific figure in this report that contains more detailed information about the rate coefficient including data points, temperature plots and references.

Recommended rates, shown in Table 1 and the figures, are weighted more in favor of the later data, especially if the latter show consistency with the principle of detailed balance. A case in point pertains to CO_2 formation and destruction depicted

¹The exception is Reaction 11.

Table 1. CO₂ formation/destruction reactions and rate coefficients.

 $k = a(T/300)^b e^{-c/T}$

Š.	Reaction	ΔE	æ	q	U	Temp. Range	Uncertainty	Reference/
		(e <				(*K)	Factor	Comment
la	$CO + O + N_2 \rightarrow CO_2 + N_2$	5.45	4.9(-33)	-1.44	2191.6	300-6500	2.5	Fig. 1
م	$b \mid CO_2 + N_2 \rightarrow CO + O + N_2$	-5.45	9.2(-6)	-2.5	66431.8	300-6500	2	Fig.2
2a	$CO + O + O_2 \rightarrow CO_2 + O_2$	5.45	2.9(-32)	-1.44	2191.6	300-6500	2.5	6k1a
_	$CO_2 + O_2 \rightarrow CO + O + O_2$.5.45	5.7(-5)	-2.5	66431.8	300-6500	က	6k ₁₆
32	$CO + OH \rightarrow H + CO_2$	1.08	2.4(-14)	1.58	-545.5	250-2500	1 ± .5	Fig.3
<u>_</u>	$H + CO_2 \rightarrow CO + OH$	-1.06	7.2(-11)	0.38	12457.0	1000-3000	1 ± .2	Fig.4
43	$CO + O_2 \rightarrow CO_2 + O$	0.34	1.9(-11)	0	27900	1500-4100	2(1500/T) ^{0.4}	Fig.5
م	$ CO_2 + O \rightarrow CO + O_2 $	-0.34	1.3(-10)	0	30400	1500-4100	2(1500/T) ^{0.4}	Fig.6
5.8	$CO + HO_2 \rightarrow CO_2 + OH$	2.71	2.5(-10)	0	11900	700-1000	· eo	Fig. 7
۵	$CO_2 + OH \rightarrow CO + HO_2$	-2.71	9.3(-9)	-0.362	41421	700-1000	က	detailed balance
•	$ N(^2D) + CO_2 \rightarrow CO + NO $	3.44	3.5(-12)	0	800	300-1000	1.7	56-61, 65
7	$0^+ + CO_2 - (O_2^+ + CO)^-$	1.22	9.4(-10)	0	0	300-900	1 ± 0.2	53,54,57,66
••	$N^+ + CO_2 \rightarrow CO_2^+ + N$	0.76	7.5(-10)	0	0	300	1 ± 0.2	54,55,66
	$\rightarrow CO^+ + NO$	4.33	2.5(-10)	0	0	300	1 ± 0.2	54,55,66
6	$N_2^+ + CO_2 \rightarrow CO_2^+ + N_2$	1.81	7.7(-10)	0	0	300	1 ± 0.2	54,66
91	$CO_{2}^{+} + O -$	1.37	1.6(-10)	0	0	295	7	62,68
	↑ 0+ +CO3	0.15	9.6(-11)	0	0	295	87	62,66
=	$CO_2^+ + O_2 \rightarrow O_2^+ + CO_2$	1.71	k=4 5-10	e00767	+ 7.0 -12 e .0018T	94-900	1.4	53,66,67
12	$12 \mid CO_2^+ + NO \rightarrow NO^+ + CO_2$	4.50	1.2(-10)	0	0	295	1 ± 0.3	62,66
13	$CO_2^+ + \epsilon \rightarrow CO + O$	8.32	3.8(-7)	-0.5	0	300	1 ± 0.2	63
· T.	The products of Reaction 7 change from $O_2^+ + CO$ at 300 °K to mainly $CO_2^+ + O$ at 900 °K. In either case, following dissociative recombination, the final products are $CO + 2O$.	from C	ange from $O_2^+ + CO$ at 300 final products are $CO + 2O$	t 300 ° K	to mainly $CO_2^+ + O$	at 900 °K. In eith	ner case, followin	8




Figure 1. Rate coefficient for the $CO + O + M \rightarrow CO_2 + M$ reaction.




Figure 2. Rate coefficients for the $CO_2 + M \rightarrow CO + O + M$ reaction.




Figure 3. Rate coefficient for the $CO + OH \rightarrow CO_2 + H$ reaction.




Figure 4. Rate coefficient for the $CO_2 + H \rightarrow CO + OH$ reaction.




Figure 5. Rate coefficient for the $CO + O_2 \rightarrow CO_2 + O$ reaction.




Figure 6. Rate coefficient for the $CO_2 + O \rightarrow CO + O_2$ reaction.




Figure 7. Rate coefficient for the $CO + HO_2 \rightarrow CO_2 + OH$ reaction.

in Figures 1 and 2, respectively. Much of the older data are unreliable due to the presence of contaminants that the reactions are particularly sensitive to. Some of these older data, relating to CO_2 dissociation at high temperatures, are shown in Figure 2 (References 48 through 52). The newer high-temperature data of Kiefer (Ref. 79) is consistent with the high-temperature rate-coefficient measurements of Dean and Steiner (Ref. 80) for the reverse reaction (Figure 1) and also, through use of classical theory, to measured rates for the reverse reaction at low temperatures. The rate-coefficient expressions in Figures 1 and 2 are consistent with the high-temperature data in References 79 and 80, with the low-temperature data in Reference 81, and with detailed balance through the equilibrium constant as given by the JANAF Tables (Ref. 83). The rate expressions in Figures 1 and 2 apply to $M = N_2$. For $M = O_2$, we adopt a rate that is six times larger (Ref. 39).

SECTION 3

VIBRATIONAL EXCITATION/DEEXCITATION RATES

Recommended excitation/deexcitation rates (V-T) and V-V of CO_2 vibrational states by collisions with major atmospheric species and electrons are presented in Table 2. Our recommendations are based on available data in the literature and on previous reviews. Details, including most of the references, are given in Figures 8 through 17 that are referred to in the "Reference/Comment" column in Table 2. The considerable body of data involving collisions of CO_2 with other CO_2 molecules has been omitted here because of the dominance of CO_2 collisions in the earth's atmosphere with the major species N_2 , O_2 and O.

The third column in Table 2 gives the exothermicity, ΔE , of the reactions. Again, negative values for ΔE are given for the endothermic reactions. For Reactions 15 and 22, the exothermicity depends on the ν_2 mode according to the footnotes in Table 2. The symbols (-*) and (-**) in the third column indicate that the values for ΔE are the negative of those in the corresponding footnotes.

The uncertainty factors shown in Table 2 reflect the influence of earlier reviews but are based largely on estimates of the spread in the laboratory data, with heavier weighting generally given to the more recent experiments.

As in Table 1, the forward (exothermic) and reverse (endothermic) reactions in Table 2 are labelled (a) and (b), respectively. Most of the laboratory data pertain to the forward reactions. For the reverse reactions, we have applied the principle of detailed balance to obtain the rate coefficients. For a typical reaction in Table 2 of the form

$$CO_2(v') + A \qquad CO_2(v'') + B \qquad , \tag{2}$$

application of this principle leads to a reverse rate coefficient, k_r , in terms of the forward rate coefficient, k_f , given by the expression

$$k_r = \frac{g_{CO_2(v')}}{g_{CO_2(v'')}} e^{-\Delta E/kT} k_f \qquad . \tag{3}$$

Table 2. CO₂ vibrational excitation/deexcitation rates.

Z So.	Reaction	ΔE	Rate Coefficient	Temp. Range	Uncertainty	Reference/
		(e V)	$(cm^3 sec^{-1})$	(°K)	Factor	Comment
14a	$CO_2(00^01) + N_2 \rightarrow CO_2(00^00) + N_2$	0.291	$k_{14a} = e^{3370.91/T}k_{14b}$	300-8000	1 ± 0.5	detailed halance
14p	$CO_2(00^00) + N_2 \rightarrow CO_2(00^01) + N_2$	-0.291	$1.6 \times 10^{-16} Te^{-3845.23/T}$	300-8000	1 ± 0.5	Fig. 8
15a	$CO_2(00^01) + M \rightarrow CO_2(\nu_2) + M$	*	$3.73 \times 10^{-6}e^{-164.47T^{-1/8}}$	200-1000	1 ± 0.5	Fig. 9
	$(M=N_2,O_2)$		$+1.50 \times 10^{-12}e^{-40.24T^{-1/8}}$			•
15b	$CO_2(\nu_2) + M \rightarrow CO_2(00^01) + M$	†	$k_{15b} \approx 0.5e^{-2419.69/T} k_{15a}$	200-1000	1 ± 0.5	detailed halance
162	$CO_2(00^01) + O \rightarrow CO_2(\nu_2) + O$	*	2×10^{-13}	300	1.2	Fig 9
16b	$CO_2(\nu_2) + O \rightarrow CO_2(00^01) + O$	†	$1 \times 10^{-13}e^{-2419.69/T}$	300	1.2	detailed halance
17a	$CO_2(00^01) + N_2(0) \rightarrow CO_2(00^00) + N_2(1)$	0.00	$3.0 \times 10^{-7}e^{-153.51T^{-1/3}}$	200-3000	7:1	Fig. 10
			$+5.8 \times 10^{-14} e^{13.73T^{-1/8}}$			9
17b	00	-0.002	$k_{17b} = e^{-27.67/T} k_{17a}$	200-3000	1.4	detailed balance
182	$CO_2(010) + N_2 \rightarrow CO_2(00^00) + N_2$	0.083	$8.9 \times 10^{-9} e^{-110.04T^{-1/3}}$	200-1500	1.3	Fig. 11
			$+1.3 \times 10^{-12}e^{-40.86T^{-1/8}}$			
18b	$CO_2(00^00) + N_2 \rightarrow CO_2(010) + N_2$	-0.083	k18b = 2e-960.22/Tk18a	200-1500	1.3	detailed halance
194	$CO_2(010) + O_2 \rightarrow CO_2(00^00) + O_2$	0.083	$8.2 \times 10^{-9}e^{-101.87T^{-1/3}}$	200-1500	1.3	Fig. 12
			$+1.7 \times 10^{-13}e^{-28.78T^{-1/8}}$			
19b	$CO_2(00^00) + O_2 \rightarrow CO_2(010) + O_2$	-0.083	$k_{19b} = 2e^{-960.22/T}k_{19a}$	200-1500	1.3	detailed balance
202	$CO_2(010) + O \rightarrow CO_2(00^00) + O$	0.083	$k_{20a} = k_{18a} + 3.5 \times 10^{-14} \sqrt{T}$	200-4000	LO.	Fig. 13
20b	$CO_2(00^00) + O \rightarrow CO_2(010) + O$	-0.083	$k_{20b} = 2e^{-960.32/T}k_{20a}$	200-4000	20	detailed balance
• Fo	• For $\nu_2 = 010, 020, 030, 040; \Delta E = 0.209, 0.126$, 0.039, -(0.209, 0.126, 0.039, -0.040, respectively.			

 CO_2 vibrational excitation/deexcitation rates (Continued). Table 2.

No.	Reaction	ΔE	Rate Coefficient	Temp.Range	Cn	Reference/
		(eV)	$(\mathbf{cm}^3 \mathbf{sec}^{-1})$	(°K)	Factor	Comment
21a	$CO_2(020) + N_2 \rightarrow CO_2(010) + N_2$	0.083	$2.8 \times 10^{-8}e^{-110.04T^{-1/8}}$	200-1500	2	Fig. 14
			$+4.1 \times 10^{-12}e^{-40.88T^{-1/8}}$			
21b	$CO_2(010) + N_2 \rightarrow CO_2(020) + N_2$	-0.083	$k_{21b} = e^{-959.11/T} k_{21a}$	200-1500	7	detailed balance
22a	$CO_2(00^00) + O_2(1) \rightarrow CO_2(\nu_2) + O_2(0)$:	$1.4 \times 10^{-12}e^{-36.85T^{-1/3}}$	200-600	1.5	Fig. 15
22b	$CO_2(\nu_2) + O_2(0) \rightarrow CO_2(00^00) + O_2(1)$:	$k_{22b} = 0.5e^{-1279.08/T} k_{22a}$	200-600	1.5	detailed balance
23	$CO_2(100) + M \rightarrow CO_2(020) + M$	0.013	2×10^{-11}	300	2.5	Fig. 16
	$(M=N_2,O_2)$					
24a	$c + CO_2(010) \rightarrow c + CO_2(00^00)$	0.083	$k_{24a} = 0.5e^{960.22/T_e}k_{24b}$	200-100,000	81	detailed balance
24b	$e + CO_2(00^00) \rightarrow e + CO_2(010)$	-0.083	$9.6 \times 10^{-8} T_{-0.349} e^{-1081/T_s}$	200-100,000	2	Fig. 17
			$+3.76 \times 10^{-2} T^{-1.393} e^{-40869.7/T_s}$)
25a	$e + CO_2(00^01) \rightarrow e + CO_2(00^00)$	0.291	$k_2 \delta_a = e^{3370.91/T_o} k_2 \delta_b$	100-100,000	7	detailed balance
25b	$e + CO_2(00^00) \rightarrow e + CO_2(00^01)$	-0.291	$2.0 \times 10^{-7} T_e^{-0.36} e^{-3444.5/T_e}$	100-100,000	7	Fig. 17
			$+3.86 \times 10^{14} T_{e}^{-4.683} e^{-171458/T_{e}}$			•
26a	$e + CO_2(10^00) \rightarrow e + CO_2(00^00)$	0.172	$k_{26a} = e^{1997.30/T_{\circ}} k_{26b}$	200-100,000	2.3	detailed balance
26b	$e + CO_2(00^00) \rightarrow e + CO_2(10^00)$	-0.172	$3.58 \times 10^{-7} T_{\rm r}^{-0.561} e^{-2168.6/T_{\rm s}}$	200-100,000	2.3	Fig. 17
			$+6.2 \times 10^{-4} T_e^{-1.02} e^{-39304.5/T_e}$			•
•• Fo	•• For $\nu_2 = 010, 020$: $\Delta E = 0.110, 0.027$, respectively.	ctively.				




Figure 8. Rate coefficient for the $CO_2(00^00) + N_2 \rightarrow CO_2(00^01) + N_2$ reaction.




Figure 9. Rate coefficient for the $CO_2(00^01) + M \rightarrow CO_2(\nu_2) + M$ reaction.




Figure 10. Rate coefficient for the $CO_2(00^01) + N_2(0) \rightarrow CO_2(00^00) + N_2(1)$ reaction.




Figure 11. Rate coefficient for the $CO_2(010) + N_2 \rightarrow CO_2(00^00) + N_2$ reaction.




Figure 12. Rate coefficient for the $CO_2(010) + O_2 \rightarrow CO_2(00^00) + O_2$ reaction.




Figure 13. Rate coefficient for the $CO_2(010) + O \rightarrow CO_2(00^00) + O$ reaction.




Figure 14. Rate coefficient for the $CO_2(020) + N_2 \rightarrow CO_2(010) + N_2$ reaction.




Figure 15. Rate coefficient for the $CO_2(00^00) + O_2(1) \rightarrow CO_2(\nu_2) + O_2(0)$ reaction.




Figure 16. Rate coefficient for the $CO_2(100) + M \rightarrow CO_2(020) + M$ reaction.




Figure 17. Rate coefficients for the reactions $e + CO_2(00^{\circ}0) \rightarrow e + CO_2^{\dagger}$.

Here, $g_{CO_2(v')}$ and $g_{CO_2(v'')}$ are the statistical weights of vibrational states v' and v'', respectively, and $\Delta E = E_{v'} + E_A - (E_{v''} + E_B) \ge 0$ is the net endothermicity of the reaction.

For Reaction 14(b), the excitation cross section $\sigma(E)$ has been measured (Refs. 36, 44) as a function of the relative energy, E, of the colliding partners over the energy range from 0.36 to 1.4 eV and we have computed the reaction-rate coefficient as a function of temperature, T, from the relation

$$k = 4.74 \times 10^{11} T^{-3/2} \int_{E_0}^{\infty} E \sigma(E) e^{-11607.54E/T} dE \quad (\text{cm}^3 \text{sec}^{-1})$$
 (4)

where E_0 is the threshold energy, E is in eV units and T is in $^{\circ}K$. For this calculation we have used the cross sections in Ref. 44 rather than those in Ref. 36 because the latter exhibit considerable scatter. The values of k, for selected values of T, have been fitted by the expression shown in Table 2.

For Reaction 15a in Table 2 (see also Figure 9), our recommended rate-coefficient curve was chosen to fit the larger-valued data points rather than those of some earlier reviews that are not consistent with the later data, especially at the lower temperatures.

For Reactions 24 and 25, involving electron excitation/deexcitation of states 010 and 00°1, we have used the excitation cross sections of Bulos and Phelps (Ref. 74) to calculate the excitation rate coefficients from the formula

$$k = 8.36 \times 10^{13} T_e^{-3/2} \int_{E_0}^{\infty} E \sigma(E) e^{-1.159 \times 10^4 E/T_e} dE \qquad . \tag{5}$$

Here, E is the electron energy (eV), $\sigma(E)$ is the cross section (cm²) and T_e is the electron temperature (°K). Although these cross sections were determined indirectly from drift-tube measurements in 1976, they are consistent with direct cross-section-measurements by Register et al. (Ref. 75) at 4 and 10 eV and with theoretical calculations for the 00°1 state by Thirumalai and Thuhlar (Ref. 76) at 10 eV. We estimate a factor 2 uncertainty in the cross sections and hence in the rate coefficients.

For Reaction 26, involving electron excitation/deexcitation of state 10⁰0, the excitation cross sections of Bulos and Phelps below 0.6 eV are about a factor of 4 lower than those calculated by Whitten and Lane (Ref. 77) and measured by Kochem et al. (Ref. 78). Consequently, for the 10⁰0 state, we have calculated the excitation

rate coefficient from Equation 5 using (a) the Bulos and Phelps cross sections for both the low-energy region and the higher-energy (3.8 eV "shape resonance") region and (b) the Kochem et al. cross sections for the low-energy region and the Bulos and Phelps cross sections for the higher-energy region. Since the Kochem et al. cross sections (measured only at low energies) are based on direct measurements rather than inferred, as are those of Bulos and Phelps, we recommend results based on the use of the (b) cross sections in Equation 5.

The values for the excitation rate coefficients computed from Equation 5 are shown in Figure 17 for the temperature range 10^2 to 10^5 °K. These have been fitted, to within 10 percent, over the indicated temperature ranges by the expressions shown in Table 2 for Reactions 24b, 25b and 26b. In the latter case, the fit has been made to the dashed curve in Figure 17.

SECTION 4

OPTICAL PARAMETERS FOR CO2 INFRARED BANDS

The optical parameters involved in this review are shown in Tables 3 through 6. These tables include a listing of the vibrational states, their statistical weights and energies up to 5000 cm^{-1} (Table 3), a listing of the bands that arise from transitions between these states (Table 4), and a listing of the wavenumbers, wavelengths, Einstein A coefficients and ρB factors for most of these bands (Tables 5 and 6).

Tables 3 through 6 refer to both individual states and bands and to what are called "composite" states and bands. The latter have been used to advantage in certain models of CO_2 emission, particularly the Delta model (Refs. 71, 72), where a simplification in the number of states and bands to consider is effected by lumping groups of states near the same energy together (including those in Fermi resonance) into a single composite state that has its own energy and statistical weight. Thus, each individual state $(v_1, v_2'v_3)^1$ can be assigned to a composite state (0mn). For m odd, the number of component states is (m+1)(m+3)/8. These consist of (m-1)/2 subgroups in Fermi resonance + one single state. For m even, the number of component states is (m+2)(m+4)/8 consisting of m/2 subgroups in Fermi resonance + one single state.

The individual state energies and band frequencies are based on the compilation in Reference 68. The energy, $E_c(\text{cm}^{-1})$, of a composite state appearing in Table 3 is defined in terms of the energies, $E_n(\text{cm}^{-1})$, of the individual states that comprise the composite state by the relation

$$E_c = -\frac{kT}{hc} \ln \left(\frac{1}{g_c} \sum_{n} g_n e^{-hcE_n/kT} \right) , \qquad (6)$$

where g_c , the statistical weight of the composite state, is given by the sum over the individual statistical weights:

$$g_c = \sum_{n} g_n \qquad . \tag{7}$$

The values of E_c appearing in Table 3 are for a temperature of 3000 °K.

In newer terminology, this state would be designated $(v_1v_2\ell v_3r)$ where r is an index indicating the particular Fermi level involved.

Table 3. Vibrational states and energies of CO_2 .

State	Notation	Energy	g	Composite	Energy'	gc
old	new	(cm^{-1})		State	(cm^{-1})	
0110	01101	667.38	2	010	667.38	2
0200	10002	1285.41	1			
02 ² 0	02201	1335.13	2	020	1335.65	4
10°0	10001	1388.18	1			
03 ¹ 0	11102	1932.47	2			
03 ³ 0	03301	2003.25	2	030	2035.02	6
11¹0	11101	2076.86	2			
00°1	00011	2349.14	1	001	2349.14	1
04°0	20003	2548.37	1			
04 ² 0	12202	2585.02	2			
12 ⁰ 0	20002	2671.14	1	040	2670.75	9
0440	04401	2671.72	2			
12 ² 0	12201	2760.72	2			
20°0	20001	2797.14	1			
01 ¹ 1	01111	3004.01	2	011	3004.01	2
05 ¹ 0	21103	3181.46	2			
05 ³ 0	13302	3240.62	2			
13¹0	21102	3339.36	2	050	3337.99	12
0550	05501	3340.72	2		!	
13 ³ 0	13301	3442.22	2			
21 ¹ 0	21101	3500.67	2			
0201	10012	3612.84	1			
02 ² 1	02211	3659.27	2	021	3661.23	4
10 ⁰ 1	10011	3714.78	1	·		
06 ⁰ 0	30004	3792.70	1			
06²0	22203	3821.98	2	'		
0640	14402	3898.33	2		-	
14 ⁰ 0	30003	3942.49	1			
14 ² 0	22202	4007.91	2	060	4004.40	16
06 ⁶ 0	06601	4010.07	2			
22º0	30002	4064.27	1			
14 ⁴ 0	14401	4122.27	2			
22 ² 0	22201	4197.36	2			
30°0	30001	4225.10	1			

Table 3. Vibrational states and energies of CO_2 (Continued).

State	Notation	Energy	g	Composite	Energy'	gc
old	new	(cm^{-1})		State	(cm^{-1})	
03 ¹ 1	11112	4247.71	2			
0331	03311	4314.91	2	031	4316.93	6
11 ¹ 1	11111	4390.63	2			
00°2	00021	4673.33	1	002	4673.33	1
07 ¹ 0	31104	4416.15	2		-	
07°0	23303	(4474)?	2			
0750	15502	(4532)?	2			
15¹0	31103	4591.12	2			
0770	07701	(4631)?	2	070	4654.48	20
15 ³ 0	23302	(4670)?	2			
15 ⁵ 0	15501	(4710)?	2			
23 ¹ 0	31102	4753.45	2			
23 ³ 0	23301	4890.10	2			
31¹0	31101	4938.39	2		1	
04 ⁰ 1	20013	4853.62	1			
04 ² 1	12212	4887.99	2			
0441	04411	4970.93	2	041	4973.11	9
12 ⁰ 1	20012	4977.84	1			
12 ² 1	12211	5061.78	2			
20°1	20011	5099.66	1			

*Composite-state energies are weakly temperature dependent. Values shown are for $T=3000^\circ$ K.

Table 4. Individual and composite bands of CO₂.

Composite Transition Band				9 030-020										10 040-030										
6	6	o	6											10	10	10	01	10	10	01	10	11 12	11 12	11 12 13 13
	1110-100	1110-0220	$11^{10}-02^{0}0$	$03^{1}0-10^{0}0$	0310-0220	$03^{1}0-02^{0}0$	0330-0220	$20^{0}0-11^{1}0$	2000-0310	$ 12^{0}0-11^{1}0 $	$ 2^00-11^10 $	$12^{0}0-11^{1}0$ $12^{0}0-03^{1}0$ $04^{0}0-11^{1}0$	12 ⁰ 0-11 ¹ 0 12 ⁰ 0-03 ¹ 0 04 ⁰ 0-11 ¹ 0 04 ⁰ 0-03 ¹ 0	12 ⁰ 0-11 ¹ 0 12 ⁰ 0-03 ¹ 0 34 ⁰ 0-11 ¹ 0 34 ⁰ 0-03 ¹ 0	12 ⁰ 0-11 ¹ 0 12 ⁰ 0-03 ¹ 0 14 ⁰ 0-11 ¹ 0 14 ⁰ 0-03 ¹ 0 12 ² 0-11 ¹ 0	12 ⁰ 0-11 ¹ 0 12 ⁰ 0-03 ¹ 0 14 ⁰ 0-011 ¹ 0 12 ² 0-11 ¹ 0 12 ² 0-03 ³ 0	12 ⁰ 0-11 ¹ 0 12 ⁰ 0-03 ¹ 0 04 ⁰ 0-11 ¹ 0 04 ⁰ 0-03 ¹ 0 12 ² 0-11 ¹ 0 12 ² 0-03 ¹ 0 04 ² 0-11 ¹ 0	12°0-11¹0 12°0-03¹0 04°0-11¹0 04°0-03¹0 12²0-11³0 12²0-03³0 04²0-11¹0	12 ⁰ 0-11 ¹ 0 12 ⁰ 0-03 ¹ 0 04 ⁰ 0-11 ¹ 0 04 ⁰ 0-03 ¹ 0 12 ² 0-03 ¹ 0 12 ² 0-03 ¹ 0 04 ² 0-03 ¹ 0 04 ² 0-03 ¹ 0	12 ⁰ 0-11 ¹ 0 12 ⁰ 0-03 ¹ 0 04 ⁰ 0-03 ¹ 0 04 ⁰ 0-03 ¹ 0 12 ² 0-11 ¹ 0 12 ² 0-03 ¹ 0 04 ² 0-03 ¹ 0 04 ² 0-03 ¹ 0	12 ⁰ 0-11 ¹ 0 12 ⁰ 0-03 ¹ 0 04 ⁰ 0-03 ¹ 0 12 ² 0-11 ¹ 0 12 ² 0-03 ¹ 0 12 ² 0-03 ¹ 0 04 ² 0-11 ¹ 0 04 ² 0-03 ¹ 0 04 ² 0-03 ¹ 0 01 ¹ 1-00 ¹ 1	12 ⁰ 0-11 ¹ 0 12 ⁰ 0-03 ¹ 0 04 ⁰ 0-11 ¹ 0 04 ⁰ 0-03 ¹ 0 12 ² 0-03 ¹ 0 12 ² 0-03 ¹ 0 04 ² 0-03 ¹ 0 04 ² 0-03 ¹ 0 04 ² 0-03 ¹ 0 04 ¹ 1-00 ¹ 1	12°0-11¹0 12°0-03¹0 04°0-03¹0 04°0-03¹0 12°0-11¹0 12°0-03³0 12°0-03³0 04°0-03³0 04°0-03³0 04°0-03³0 01°1-11³0 01°1-11³0	12 ⁰ 0-11 ¹ 0 12 ⁰ 0-03 ¹ 0 04 ⁰ 0-11 ¹ 0 04 ⁰ 0-03 ¹ 0 12 ² 0-11 ¹ 0 12 ² 0-03 ¹ 0 04 ² 0-11 ¹ 0 04 ² 0-03 ¹ 0 04 ² 0-03 ¹ 0 01 ¹ 1-00 ¹ 1 01 ¹ 1-01 ¹ 0
Transition	1110	1110	1110	0310	0310	0310	0320	2000	2000	1200	1200	12 ⁰ 0 12 ⁰ 0 04 ⁰ 0	12°0- 12°0- 04°0- 04°0-	12°0- 12°0- 12°0- 04°0- 12°0-	12°0 12°0 04°0 04°0 12°0	12°0- 12°0- 04°0- 04°0- 12°0- 12°0- 12°0- 12°0- 12°0-	12°0- 12°0- 04°0- 04°0- 12°0- 12°0- 12°0- 04°0-	12°0- 12°0- 04°0- 04°0- 12°0- 12°0- 12°0- 04°0- 04°0- 04°0- 04°0-	12°0- 12°0- 04°0- 04°0- 12°0- 12°0- 12°0- 04°0- 04°0- 04°0-	12°0- 12°0- 04°0- 04°0- 12°0- 12°0- 12°0- 04°0- 04°0- 04°0-	12°0- 12°0- 04°0- 04°0- 12°0- 12°0- 12°0- 04°0- 00°0-	12% 12% 04% 04% 04% 12% 12% 04% 04% 04% 04%	12% 04% 04% 04% 12% 12% 04% 04% 04% 04% 04% 01% 01% 01%	12% 04% 04% 04% 12% 12% 04% 04% 04% 01% 01% 01% 01% 01%
Band	26	27	28	53	30	31	32	33	34	35	35 36	35 36 37	35 36 37 38	35 36 37 38	35 36 37 38 39	35 36 37 38 39 40	35 36 37 38 39 40 41	35 37 38 39 40 41 42	35 37 37 39 40 44 44	35 37 39 39 44 44 43 45	35 37 38 39 39 40 41 42 43 45 45	35 37 37 39 39 40 41 42 45 47 47	35 36 37 38 39 39 40 44 44 45 46 47 47 47 48	35 36 37 39 39 39 40 41 42 43 44 44 46 46 49 49 49 49 49 40 40 40 40 40 40 40 40 40 40 40 40 40
Transition	001-000	001-020			020-010		010-000			021-020	021-020	021–020	021-020	021-020	021-020	021-020 021-000 041-000	021-020 021-000 041-000	021-020	021-020	021-020	021-020 021-000 041-000	021-020 021-000 041-000	021-020 021-000 041-000 041-020	021-020
Composite Band	1	2			က		4			જ	ro	ĸ	S 6	. Q	ر و	5 6 7	2 9 1	5 9	6 7	2 9 2	8 8	8	22 9 1- 88	8 8
Transition	$00^{0}1-00^{0}0$	00^01-10^00	$00^{0}1-02^{0}0$	$02^{0}0-01^{1}0$	$02^{2}0-01^{1}0$	1000-0110	0110-0000	$10^{0}1-10^{0}0$	$10^{0}1-02^{0}0$	 0^{-1}	$\begin{array}{c c} 02^{0}1-10^{0}0 \\ 02^{0}1-02^{0}0 \end{array}$	$02^{0}1-10^{0}0$ $02^{0}1-02^{0}0$ $02^{1}1-02^{2}0$	$02^{0}1-10^{0}0$ $02^{0}1-02^{0}0$ $02^{1}1-02^{2}0$ $02^{0}1-00^{0}0$	$02^{0}1-10^{0}0$ $02^{0}1-02^{0}0$ $02^{2}1-02^{2}0$ $02^{0}1-00^{0}0$ $10^{0}1-00^{0}0$	$02^{0}1-10^{0}0$ $02^{0}1-02^{0}0$ $02^{2}1-02^{2}0$ $02^{0}1-00^{0}0$ $10^{0}1-00^{0}0$ $20^{0}1-00^{0}0$	$02^{0}1-10^{0}0$ $02^{0}1-02^{0}0$ $02^{1}1-02^{2}0$ $02^{0}1-00^{0}0$ $10^{0}1-00^{0}0$ $20^{0}1-00^{0}0$ $12^{0}1-00^{0}0$	$02^{0}1-10^{0}0$ $02^{0}1-02^{0}0$ $02^{2}1-02^{2}0$ $02^{0}1-00^{0}0$ $10^{0}1-00^{0}0$ $20^{0}1-00^{0}0$ $12^{0}1-00^{0}0$ $12^{0}1-00^{0}0$ $04^{0}1-00^{0}0$	$02^{0}1-10^{0}0$ $02^{0}1-02^{0}0$ $02^{1}1-02^{2}0$ $02^{0}1-00^{0}0$ $10^{0}1-00^{0}0$ $20^{0}1-00^{0}0$ $12^{0}1-00^{0}0$ $12^{0}1-00^{0}0$ $04^{0}1-00^{0}0$ $20^{0}1-10^{0}0$	$02^{0}1-10^{0}0$ $02^{0}1-02^{0}0$ $02^{2}1-02^{2}0$ $02^{0}1-00^{0}0$ $10^{0}1-00^{0}0$ $20^{0}1-00^{0}0$ $12^{0}1-00^{0}0$ $12^{0}1-00^{0}0$ $20^{0}1-10^{0}0$ $20^{0}1-02^{0}0$	$02^{0}1-10^{0}0$ $02^{0}1-02^{0}0$ $02^{2}1-02^{2}0$ $02^{0}1-00^{0}0$ $10^{0}1-00^{0}0$ $20^{0}1-00^{0}0$ $12^{0}1-00^{0}0$ $12^{0}1-00^{0}0$ $20^{0}1-00^{0}0$ $20^{0}1-00^{0}0$ $20^{0}1-00^{0}0$ $12^{0}1-10^{0}0$ $12^{0}1-10^{0}0$	$02^{0}1-10^{0}0$ $02^{0}1-02^{0}0$ $02^{1}1-02^{1}0$ $02^{0}1-00^{0}0$ $10^{0}1-00^{0}0$ $20^{0}1-00^{0}0$ $12^{0}1-00^{0}0$ $20^{0}1-10^{0}0$ $20^{0}1-10^{0}0$ $12^{0}1-10^{0}0$ $12^{0}1-10^{0}0$ $12^{0}1-02^{0}0$	$02^{0}1-10^{0}0$ $02^{0}1-02^{0}0$ $02^{2}1-02^{2}0$ $02^{0}1-00^{0}0$ $10^{0}1-00^{0}0$ $20^{0}1-00^{0}0$ $12^{0}1-00^{0}0$ $12^{0}1-00^{0}0$ $20^{0}1-10^{0}0$ $20^{0}1-10^{0}0$ $12^{0}1-10^{0}0$ $12^{0}1-10^{0}0$ $12^{0}1-10^{0}0$ $12^{0}1-10^{0}0$ $12^{0}1-10^{0}0$	$02^{0}1-10^{0}0$ $02^{0}1-02^{0}0$ $02^{0}1-02^{0}0$ $02^{0}1-00^{0}0$ $10^{0}1-00^{0}0$ $20^{0}1-00^{0}0$ $12^{0}1-00^{0}0$ $12^{0}1-00^{0}0$ $20^{0}1-00^{0}0$ $20^{0}1-00^{0}0$ $12^{0}1-10^{0}0$ $12^{0}1-10^{0}0$ $12^{0}1-02^{0}0$ $04^{0}1-10^{0}0$ $04^{0}1-02^{0}0$ $04^{0}1-02^{0}0$	$02^{0}1-10^{0}0$ $02^{0}1-02^{0}0$ $02^{1}1-02^{1}0$ $02^{0}1-00^{0}0$ $10^{0}1-00^{0}0$ $10^{0}1-00^{0}0$ $12^{0}1-00^{0}0$ $12^{0}1-00^{0}0$ $20^{0}1-10^{0}0$ $20^{0}1-10^{0}0$ $12^{0}1-10^{0}0$ $12^{0}1-02^{0}0$ $12^{0}1-02^{0}0$ $12^{0}1-02^{0}0$ $12^{0}1-02^{0}0$ $12^{0}1-02^{0}0$ $12^{0}1-02^{0}0$
Band	1								_								10 112 113 114 115 116	10 11 11 11 11 11 11 11 11 11	10 112 113 113 114 116 116 118					10 111 112 113 114 115 116 119 20 20 21 22 23

Table 4. Individual and composite bands of CO_2 (Continued).

Transition				041-040						060-050									060-030						060-010	
Composite	Band			17						18									19						20	
Transition		20^01-20^00	$12^{0}1-12^{0}0$	$04^{0}1-04^{0}0$	$12^21 - 12^20$	04 ² 1-04 ² 0	0441-0440	$06^{6}0 - 05^{6}0$	$06^40 - 05^60$	0640-0530	0620-0530	$22^{2}0-21^{1}0$	1440-0560	0,50-0,90	0620-0310	$06^{0}0-03^{1}0$	1440-0330	1420-0310	$14^{2}0-11^{1}0$	$14^{0}0-03^{1}0$	$22^{0}0-11^{1}0$	$22^{2}0-03^{3}0$	$22^{0}0-03^{1}0$	$30^{0}0-11^{1}0$	$06^{2}0-01^{1}0$	1420-0110
Band		74	75	92	1.1	82	79	98	81	83	83	84	82	98	87	88	68	96	91	92	93	94	95	96	97	86
Transition						-			050-040									021-011				021-040				
Composite	Band								14									15				16				
Transition		$21^{1}0-20^{0}0$	$21^{1}0-12^{2}0$	$21^{1}0-12^{0}0$	$13^{1}0-12^{2}0$	$13^{1}0-12^{0}0$	1310-0420	$13^{1}0-04^{0}0$	0510-0420	$05^{10}-04^{0}0$	1330-1220	1330-0440	1330-0420	0530-0440	0530-0420	0560-0440	$10^{0}1-01^{1}1$	$02^{0}1-01^{1}1$	02^21-01^11	$10^{0}1-20^{0}0$	$10^{0}1-12^{0}0$	$02^{0}1-12^{0}0$	$02^{0}1-04^{0}0$	02^21-12^20	02^21-04^20	
Band		20	51	52	53	54	55	26	57	58	59	8	61	62	63	49	65	99	29	89	69	70	71	72	73	

Table 4. Individual and composite bands of CO_2 (Continued).

Band	Transition	Composite Transition Band Transition	Transition	Band		Composite Transition	Transition
		Band				Band	
66	$00^{0}2-00^{0}1$	21	002-001	107	$03^{1}1-01^{1}0$	25	031-010
100	00^02-10^01	22	002-021	108	$11^{1}1-01^{1}0$		
101	00^02-02^01			109	$23^{1}0-00^{0}0$	26	070-000
102	00^02-01^10	23	002-010				
103	$03^{1}1-11^{1}0$						
104	$03^{1}1-03^{1}0$	24	031-030				
105	1111-1110						
106	1111-0310						

Table 5. Some optical parameters for individual bands of CO_2 (isotope 626).

SAND NU LAMBDA (cm-1) (microns) (sec-1) (sec-1) (sec-1) (sec-1) 1 2349.14 4.26 4.4178E+02 4.99E-03 1.83E-03 2 960.96 10.41 4.5698E-01 1.93E-03 1.92E-03 3 1063.74 9.40 4.8045E-01 1.21E-03 1.21E-03 4 618.03 16.18 1.2390E+00 1.50E-02 1.49E-02 5 667.75 14.98 3.2313E+00 6.03E-02 6.02E-02 6 720.81 13.87 1.6561E+00 1.18E-02 1.17E-02 7 667.38 14.98 1.5027E+00 5.99E-02 5.98E-02 3 2326.60 4.30 4.1718E+02 4.96E-03 1.93E-03 9 2429.37 4.12 1.6969E-01 1.63E-06 4.70E-07 10 2224.66 4.50 4.3440E-01 6.68E-06 3.34E-06 11 2327.43 4.30 4.1987E+02 4.98E-03 1.93E-03 12 2324.14 4.30 4.2294E+02 5.05E-03 1.98E-03 13 3612.84 2.77 1.1369E+01 4.49E-05 8.67E-08 14 3714.78 2.69 1.8260E+01 6.90E-05 8.38E-08 15 5099.66 1.96 2.3740E-01 5.38E-07 1.10E-12 16 4977.84 2.01 7.3046E-01 1.72E-06 6.20E-12 17 4853.62 2.06 1.5349E-01 3.78E-07 2.42E-12 18 3711.48 2.69 3.0669E+01 1.6E-04 1.43E-07 20 3589.65 2.79 1.5264E+01 6.08E-05 1.31E-07 21 3692.43 2.71 2.2670E+01 8.65E-05 1.31E-07 22 3465.44 2.89 1.4397E-01 6.05E-07 2.29E-09 23 3568.22 2.80 1.7532E+01 7.04E-05 1.67E-07 24 3726.65 2.68 1.9374E+01 7.29E-05 8.38E-08 25 3552.85 2.81 1.0231E+01 4.14E-05 1.05E-07	• • •
1	
1 2349.14 4.26 4.4178E+02 4.99E-03 1.83E-03 2 960.96 10.41 4.5698E-01 1.33E-03 1.92E-03 3 1063.74 9.40 4.8045E-01 1.21E-03 1.21E-03 4 618.03 16.18 1.2390E+00 1.50E-02 1.49E-02 5 667.75 14.98 3.2313E+00 6.03E-02 6.02E-02 6 720.81 13.87 1.6561E+00 1.18E-02 1.17E-02 7 667.38 14.98 1.5027E+00 5.99E-02 5.38E-02 8 2326.60 4.30 4.1718E+02 4.96E-03 1.93E-03 9 2429.37 4.12 1.6969E-01 1.63E-06 4.70E-07 10 2224.66 4.50 4.3440E-01 6.68E-06 3.34E-06 11 2327.43 4.30 4.1987E+02 4.98E-03 1.93E-03 12 2324.14 4.30 4.2294E+02 5.05E-03 1.38E-03 13 3612.84 2.77 1.1369E+01 4.49E-05 8.67E-08 14 3714.78 2.69 1.8260E+01 6.90E-05 8.38E-08 15 5099.66 1.96 2.3740E-01 5.38E-07 1.10E-12 16 4977.84 2.01 7.3046E-01 1.72E-06 6.20E-12 18 3711.48 2.69 3.0669E+01 1.16E-04 1.43E-07 19 3814.25 2.62 4.1704E-01 1.51E-06 1.17E-09 20 3589.65 2.79 1.5264E+01 6.08E-05 1.31E-07 21 3692.43 2.71 2.2670E+01 8.65E-05 1.31E-07 22 3465.44 2.89 1.4397E-01 6.05E-07 2.29E-09 23 3568.22 2.80 1.7532E+01 7.04E-05 1.67E-07 24 3726.65 2.68 1.9374E+01 7.29E-05 8.38E-08 25 3552.85 2.81 1.0231E+01 4.14E-05 1.05E-07	
3 1063.74 9.40 4.8045E-01 1.21E-03 1.21E-03 4 618.03 16.18 1.2390E+00 1.50E-02 1.49E-02 5 667.75 14.98 3.2313E+00 6.03E-02 6.02E-02 6 720.81 13.87 1.6561E+00 1.18E-02 1.17E-02 7 667.38 14.98 1.5027E+00 5.99E-02 5.38E-02 8 2326.60 4.30 4.1718E+02 4.96E-03 1.93E-03 9 2429.37 4.12 1.6969E-01 1.63E-06 4.70E-07 10 2224.66 4.50 4.3440E-01 6.68E-06 3.34E-06 11 2327.43 4.30 4.1987E+02 4.98E-03 1.93E-03 12 2324.14 4.30 4.2294E+02 5.05E-03 1.38E-03 13 3612.84 2.77 1.1369E+01 4.49E-05 8.67E-08 14 3714.78 2.69 1.8260E+01 6.90E-05 8.38E-08 15 5099.66 1.96 2.3740E-01 1.72E-06 6.20E-12 18 37	
4 618.03 16.18 1.2390E+00 1.50E-02 1.49E-02 5 667.75 14.98 3.2313E+00 6.03E-02 6.02E-02 6 720.81 13.87 1.6561E+00 1.18E-02 1.17E-02 7 667.38 14.98 1.5027E+00 5.99E-02 5.38E-02 8 2326.60 4.30 4.1718E+02 4.96E-03 1.93E-03 9 2429.37 4.12 1.6969E-01 1.63E-06 4.70E-07 10 2224.66 4.50 4.3440E-01 6.68E-06 3.34E-06 11 2327.43 4.30 4.1987E+02 4.98E-03 1.93E-03 12 2324.14 4.30 4.2294E+02 5.05E-03 1.98E-03 13 3612.84 2.77 1.1369E+01 4.49E-05 8.67E-08 14 3714.78 2.69 1.8260E+01 6.90E-05 8.38E-08 15 5099.66 1.96 2.3740E-01 5.38E-07 1.10E-12 16 4977.84 2.01 7.3046E-01 1.72E-06 6.20E-12 17 4853.62 2.06 1.5349E-01 3.78E-07 2.42E-12 18 3711.48 2.69 3.0669E+01 1.16E-04 1.43E-07 19 3814.25 2.62 4.1704E-01 1.51E-06 1.17E-09 20 3589.65 2.79 1.5264E+01 6.08E-05 1.31E-07 21 3692.43 2.71 2.2670E+01 8.65E-05 1.31E-07 22 3465.44 2.89 1.4397E-01 6.05E-07 2.29E-09 23 3568.22 2.80 1.7532E+01 7.04E-05 1.67E-07 24 3726.65 2.68 1.9374E+01 7.29E-05 8.38E-08	ż
5 667.75 14.98 3.2313E+00 6.03E-02 6.02E-02 6 720.81 13.87 1.6561E+00 1.18E-02 1.17E-02 7 667.38 14.98 1.5027E+00 5.99E-02 5.38E-02 8 2326.60 4.30 4.1718E+02 4.96E-03 1.93E-03 9 2429.37 4.12 1.6969E-01 1.63E-06 4.70E-07 10 2224.66 4.50 4.3440E-01 6.68E-06 3.34E-06 11 2327.43 4.30 4.1987E+02 4.98E-03 1.93E-03 12 2324.14 4.30 4.2294E+02 5.05E-03 1.98E-03 13 3612.84 2.77 1.1369E+01 4.49E-05 8.67E-08 14 3714.78 2.69 1.8260E+01 6.90E-05 8.38E-08 15 5099.66 1.96 2.3740E-01 5.38E-07 1.10E-12 16 4977.84 2.01 7.3046E-01 1.72E-06 6.20E-12 17 4853.62 2.06 1.5349E-01 3.78E-07 2.42E-12 18 3711.48 2.69 3.0669E+01 1.16E-04 1.43E-07 19 3814.25 2.62 4.1704E-01 1.51E-06 1.17E-09 20 3589.65 2.79 1.5264E+01 6.08E-05 1.31E-07 21 3692.43 2.71 2.2670E+01 8.65E-05 1.16E-07 22 3465.44 2.89 1.4397E-01 6.05E-07 2.29E-09 23 3568.22 2.80 1.7532E+01 7.04E-05 1.67E-07 24 3726.65 2.68 1.9374E+01 7.29E-05 8.38E-08 25 3552.85 2.81 1.0231E+01 4.14E-05 1.05E-07	3
6 720.81 13.87 1.6561E+00 1.18E-02 1.17E-02 7 667.38 14.98 1.5027E+00 5.99E-02 5.38E-02 8 2326.60 4.30 4.1718E+02 4.96E-03 1.93E-03 9 2429.37 4.12 1.6969E-01 1.63E-06 4.70E-07 10 2224.66 4.50 4.3440E-01 6.68E-06 3.34E-06 11 2327.43 4.30 4.1987E+02 4.98E-03 1.93E-03 12 2324.14 4.30 4.2294E+02 5.05E-03 1.38E-03 13 3612.84 2.77 1.1369E+01 4.49E-05 8.67E-08 14 3714.78 2.69 1.8260E+01 6.90E-05 8.38E-08 15 5099.66 1.96 2.3740E-01 5.38E-07 1.10E-12 16 4977.84 2.01 7.3046E-01 1.72E-06 6.20E-12 18 3711.48 2.69 3.0669E+01 1.16E-04 1.43E-07 19 3814.25 2.62 4.1704E-01 1.51E-06 1.17E-09 20 <td< td=""><td></td></td<>	
7 667.38 14.98 1.5027E+00 5.99E-02 5.38E-02 3 2326.60 4.30 4.1718E+02 4.96E-03 1.93E-03 9 2429.37 4.12 1.6969E-01 1.63E-06 4.70E-07 10 2224.66 4.50 4.3440E-01 6.68E-06 3.34E-06 11 2327.43 4.30 4.1987E+02 4.98E-03 1.93E-03 12 2324.14 4.30 4.2294E+02 5.05E-03 1.38E-03 13 3612.84 2.77 1.1369E+01 4.49E-05 8.67E-08 14 3714.78 2.69 1.8260E+01 6.90E-05 8.38E-08 15 5099.66 1.96 2.3740E-01 5.38E-07 1.10E-12 16 4977.84 2.01 7.3046E-01 1.72E-06 6.20E-12 17 4853.62 2.06 1.5349E-01 3.78E-07 2.42E-12 18 3711.48 2.69 3.0669E+01 1.16E-04 1.43E-07 19 3814.25 2.62 4.1704E-01 1.51E-06 1.17E-09 20 3589.65 2.79 1.5264E+01 6.08E-05 1.31E-07 21 3692.43 2.71 2.2670E+01 8.65E-05 1.16E-07 22 3465.44 2.89 1.4397E-01 6.05E-07 2.29E-09 23 3568.22 2.80 1.7532E+01 7.04E-05 1.67E-07 24 3726.65 2.68 1.9374E+01 7.29E-05 8.38E-08 25 3552.85 2.81 1.0231E+01 4.14E-05 1.05E-07	
3 2326.60 4.30 4.1718E+02 4.96E-03 1.93E-03 9 2429.37 4.12 1.6969E-01 1.63E-06 4.70E-07 10 2224.66 4.50 4.3440E-01 6.68E-06 3.34E-06 11 2327.43 4.30 4.1987E+02 4.98E-03 1.93E-03 12 2324.14 4.30 4.2294E+02 5.05E-03 1.98E-03 13 3612.84 2.77 1.1369E+01 4.48E-05 8.67E-08 14 3714.78 2.69 1.8260E+01 6.90E-05 8.38E-08 15 5099.66 1.96 2.3740E-01 5.38E-07 1.10E-12 16 4977.84 2.01 7.3046E-01 1.72E-06 6.20E-12 17 4853.62 2.06 1.5349E-01 3.78E-07 2.42E-12 18 3711.48 2.69 3.0669E+01 1.16E-04 1.43E-07 19 3814.25 2.62 4.1704E-01 1.51E-06 1.17E-09 20 3589.65 2.79 1.5264E+01 6.08E-05 1.31E-07 21 3692.43 2.71 2.2670E+01 8.65E-05 1.16E-07 22 3465.44 2.89 1.4397E-01 6.05E-07 2.29E-09 23 3568.22 2.80 1.7532E+01 7.04E-05 1.67E-07 24 3726.65 2.68 1.9374E+01 7.29E-05 8.38E-08 25 3552.85 2.81 1.0231E+01 4.14E-05 1.05E-07	
9	
10	
11 2327.43 4.30 4.1987E+02 4.98E-03 1.93E-03 12 2324.14 4.30 4.2294E+02 5.05E-03 1.38E-03 13 3612.84 2.77 1.1369E+01 4.49E-05 8.67E-08 14 3714.78 2.69 1.8260E+01 6.90E-05 8.38E-08 15 5099.66 1.96 2.3740E-01 5.38E-07 1.10E-12 16 4977.84 2.01 7.3046E-01 1.72E-06 6.20E-12 17 4853.62 2.06 1.5349E-01 3.78E-07 2.42E-12 18 3711.48 2.69 3.0669E+01 1.16E-04 1.43E-07 19 3814.25 2.62 4.1704E-01 1.51E-06 1.17E-09 20 3589.65 2.79 1.5264E+01 6.08E-05 1.31E-07 21 3692.43 2.71 2.2670E+01 8.65E-05 1.16E-07 22 3465.44 2.89 1.4397E-01 6.05E-07 2.29E-09 23 3568.22 2.80 1.7532E+01 7.04E-05 1.67E-07 24 3726.65 2.68 1.9374E+01 7.29E-05 8.38E-08 25 3552.85 2.81 1.0231E+01 4.14E-05 1.05E-07	
12 2324.14 4.30 4.2294E+02 5.05E-03 1.38E-03 13 3612.84 2.77 1.1369E+01 4.49E-05 8.67E-08 14 3714.78 2.69 1.8260E+01 6.90E-05 8.38E-08 15 5099.66 1.96 2.3740E-01 5.38E-07 1.10E-12 16 4977.84 2.01 7.3046E-01 1.72E-06 6.20E-12 17 4853.62 2.06 1.5349E-01 3.78E-07 2.42E-12 18 3711.48 2.69 3.0669E+01 1.16E-04 1.43E-07 19 3814.25 2.62 4.1704E-01 1.51E-06 1.17E-09 20 3589.65 2.79 1.5264E+01 6.08E-05 1.31E-07 21 3692.43 2.71 2.2670E+01 8.65E-05 1.16E-07 22 3465.44 2.89 1.4397E-01 6.05E-07 2.29E-09 23 3568.22 2.80 1.7532E+01 7.04E-05 1.67E-07 24 3726.65 2.68 1.9374E+01 7.29E-05 8.38E-08 25 3552.85 2.81 1.0231E+01 4.14E-05 1.05E-07	
14 3714.78 2.69 1.8260E+01 6.90E-05 8.38E-08 15 5099.66 1.96 2.3740E-01 5.38E-07 1.10E-12 16 4977.84 2.01 7.3046E-01 1.72E-06 6.20E-12 17 4853.62 2.06 1.5349E-01 3.78E-07 2.42E-12 18 3711.48 2.69 3.0669E+01 1.16E-04 1.43E-07 19 3814.25 2.62 4.1704E-01 1.51E-06 1.17E-09 20 3589.65 2.79 1.5264E+01 6.08E-05 1.31E-07 21 3692.43 2.71 2.2670E+01 8.65E-05 1.16E-07 22 3465.44 2.89 1.4397E-01 6.05E-07 2.29E-09 23 3568.22 2.80 1.7532E+01 7.04E-05 1.67E-07 24 3726.65 2.68 1.9374E+01 7.29E-05 8.38E-08 25 3552.85 2.81 1.0231E+01 4.14E-05 1.05E-07	
15 5099.66 1.96 2.3740E-01 5.38E-07 1.10E-12 16 4977.84 2.01 7.3046E-01 1.72E-06 6.20E-12 17 4853.62 2.06 1.5349E-01 3.78E-07 2.42E-12 18 3711.48 2.69 3.0669E+01 1.16E-04 1.43E-07 19 3814.25 2.62 4.1704E-01 1.51E-06 1.17E-09 20 3589.65 2.79 1.5264E+01 6.08E-05 1.31E-07 21 3692.43 2.71 2.2670E+01 8.65E-05 1.16E-07 22 3465.44 2.89 1.4397E-01 6.05E-07 2.29E-09 23 3568.22 2.80 1.7532E+01 7.04E-05 1.67E-07 24 3726.65 2.68 1.9374E+01 7.29E-05 8.38E-08 25 3552.85 2.81 1.0231E+01 4.14E-05 1.05E-07)
16	
17	
18	
19	
20	
21	
22 3465.44 2.89 1.4397E-01 6.05E-07 2.29E-09 23 3568.22 2.80 1.7532E+01 7.04E-05 1.67E-07 24 3726.65 2.68 1.9374E+01 7.29E-05 8.38E-08 25 3552.85 2.81 1.0231E+01 4.14E-05 1.05E-07	
24 3726.65 2.68 1.9374E+01 7.29E-05 8.38E-08 25 3552.85 2.81 1.0231E+01 4.14E-05 1.05E-07	
25 3552.85 2.81 1.0231E+01 4.14E-05 1.05E-07	
26 688.67 14.52 2.6132E+00 8.75E-02 8.74E-02	
27 741.72 13.48 1.2317E+00 1.57E-02 1.57E-02 28 791.45 12.64 1.2250F-01 2.43F-03 2.42F-03	
21.02.03	
29 544.29 18.37 3.0947E-02 2.20E-03 2.20E-03 30 597.34 16.74 5.4225E-01 1.46E-02 1.46E-02	
31 647.06 15.45 2.1029E+00 8.73E-02 8.72E-02	
32 668.12 14.97 4.8912E+00 9.11E-02 9.09E-02	
33 720.28 13.88 5.1923E+00 3.70E-02 3.69E-02	
34 864.67 11.57 3.2059E-02 1.10E-04 1.09E-04	
35 594.29 16.83 6.8899E-01 9.42E-03 9.41E-03	
36 738.67 13.54 1.7047E+00 1.11E-02 1.10E-02	
37 471.51 21.21 4.3656E-03 1.15E-04 1.15E-04 38 615.90 16.24 2.7670E+00 3.38E-02 3.37E-02	
30 500 50	
40 757.48 13.20 1.3736E+00 1.62E-02 1.61E-02	
41 829.26 12.07 1.7654E-03 1.45E-05 1.45E-05	
42 508.17 19.68 1.4767E-02 6.39E-04 6.38E-04	
43 581.78 17.19 4.9248E-01 1.44E-02 1.44E-02	
44 652.55 15.32 3.6875E+00 7.44E-02 7.43E-02	
45 668.47 14.96 6.5951E+00 1.23E-01 1.22E-01	
46 654.37 15.27 1.5089E+00 6.02E-02 6.01E-02 47 927.16 10.79 3.7035E-01 1.85E-03 1.84E-03	
17	
48 1071.54 9.33 4.4585E-01 1.08E-03 1.08E-03 49 2336.63 4.28 4.3196E+02 5.02E-03 1.90E-03	
50 703.54 14.21 4.2337E+00 1.31E-01 1.31E-01	
51 739.95 13.51 2.7917E+00 3.60E-02 3.59E-02	
52 829.53 12.06 1.4686E-01 2.40E-03 2.39E-03	
53 578.63 17.28 3.7736E-01 1.12E-02 1.12E-02	
54 668.21 14.37 2.6422E+00 9.83E-02 3.82E-02	
55 754.34 13.26 1.1277E+00 1.35E-02 1.35E-02	

Table 5. Some optical parameters for individual bands of CO_2 (isotope 626) (Continued).

BAND	NU	LAMBDA	A	RHOB(day)	RHOB(night)
	(cm-1)	(microns)	(sec-1)	(sec-1)	(sec-1)
56	790.99	12 64	3 E1 CEE 04	(optically	thin only)
57	596.44	12.64 16.77	3.5165E-01	6.99E-03	6.97E-03
58	633.10	15.80	1.1605E+00 2.7370E+00	3.14E-02	3.13E-02
59	681.49	14.67	6.2469E+00	1.22E-01 1.09E-01	1.22E-01
60	770.50	12.98	1.5017E+00	1.66E-02	1.08E-01
61	857.19	11.67	9.8470E-02	7.00E-04	1.65E-02 6.98E-04
62	568.91	17.58	4.5210E-01	1.41E-02	1.41E-02
6 3	655.60	15.25	5.3236E+00	1.06E-01	1.06E-01
64	669.00	14.95	8.3069E+00	1.54E-01	1.54E-01
65	710.77	14.07	1.9375E+00	1.45E-02	1.45E-02
6 6	608.83	16.42	1.2579E+00	1.59E-02	1.59E-02
67	655.26	15.26	3.1294E+00	6.23E-02	6.22E-02
68	917.65	10.90	5.7305E-01	3.01E-03	2.99E-03
69	1043.64	9.58	6.3937E-01	1.79E-03	1.77E-03
70	941.70	10.62	4.5408E-01	2.11E-03	2.10E-03
71	1064.48	9.39	7.4117E-01	1.87E-03	1.35E-03
72 73	898.55	11.13	3.3870E-01	1.9 6E- 03	1.95E-03
74	1074.20	9.31	4.3555E-01	1.05E-03	1.04E-03
7 5	2302.53	4.34	3.9585E+02	4.98E-03	2.06E-03
75 76	2306.69 230 5. 26	4.34	3.9380E+02	4.90E-03	2.01E-03
77	2301.05	4.34 4.3 5	4.0324E+02	5.04E-03	2.07E-03
78	2302.96	4.34	3.9982E+02	5.94E-03	2.10E-03
79	2299.21	4.35	4.0522E+02 4.0686E+02	5.09E-03	2.11E-03
80	669.35	14.94	1.6950E+01	5.15E-03 3.14E-01	2.16E-03
81	557.61	17.93	3.9805E-01	1.32E-02	3.13E-01 1.32E-02
82	657.70	15.20	5.7884E+00	1.32E-02 1.14E-01	1.32E-02 1.14E-01
83	581.36	17.20	1.0015E+00	2.93E-02	2.93E-02
84	696.69	14.35	1.0069E+01	1.62E-01	1.62E-01
85	781.55	12.80	1.5052E+00	1.57E-02	1.56E-02
86	1895.08	5.28	5.0953E-04	2.50E-08	2.02E-08
87	1889.51	5.29	2.2802E-03	1.15E-07	9.31E-08
88	1860.23	5.38	1.3922E-04	3.96E-09	3.29E-09
89	2119.02	4.72	5.9288E-02	1.24E-06	7.58E-07
90	2075.44	4.82	2.2310E-02	5.48E-07	3.61E-07
91 92	1931.06	5.18	3.1023E-03	1.31E-07	1.03E-07
93	2010.02	4.98	5.2823E-04	8.22E-09	5.91E-09
94	2150.51 2194.12	4.65 4.56	5.5831E-02	1.07E-06	6.21E-07
95	2131.81	4.69	1.2635E-02 2.2853E-02	2.12E-07	1.13E-07
96	2148.24	4.65	7.2100E-02	2.32E-07 6.95E-07	1.39E-07
37	3154.60	3.17	7.2100E-02	3.85E-11	4.05E-07 5.91E-13
98	3340.53	2.99	6.6005E-05	2.93E-10	1.95E-12
39	2324.18	4.30	8.3578E+02	9.98E-03	3.91E-03
100	958.54	10.43	8.0982E-01	3.46E-03	3.44E-03
101	1060.49	9.43	8.0224E-01	2.06E-03	2.05E-03
102	4001.95	2.50	2.8183E-04	4.74E-10	1.52E-13
103	2170.85	4.61	2.0366E-01	3.66E-06	2.05E-06
104	2315.24	4.32	4.1240E+02	5.03E-03	2.02E-03
105	2313.77	4.32	4.0841E+02	5.00E-03	2.01E-03
106	2458.16	4.07	4.8311E-02	4.42E-07	1.16E-07
107	3580.33	2.79	1.0733E+01	4.29E-05	9.62E-08
108	3723.25	2.69	1.8899E+01	7.12E-05	8.31E-08
109	4753.45	2.10	2.8195E-06	1.44E-11	1.46E-16

Table 6. Some optical parameters for composite bands of CO_2 (isotope 626).

COMPOSITE	22	LAMBDA	∢	RHOB(day)	RHOB(night)
BAND	(cm-1)	(microns)	(sec-1)	(sec-1)	(sec-1)
				U	thin only)
1	2349.14	ď	4	.99E-0	•
~3	1011.03		9.4470E-01	1.55E-03	4E-0
m	9		2.3236E+00	.72E-0	8.71E-02
4	667.38	14.98	1.6027E+00	9	5.98E-02
ស	2325.56		4.2089E+02	5.01E-03	.96E-0
છ	3663.10	2.73	1.4679E+01	1.13E-04	E-0
۲۰	4975.01	•	3.7164E-01	2.63E-06	9.60E-12
00		2.75	٠	1.60E-04	.73E-0
თ	œ.	14.95	3.8057E+00	1.06E-01	0.
10	670.60	14.91	4.8066E+00	1.33E-01	1.32E-01
11	œ	•	•	.02E-0	.01E
12	1000.82	9.99	•	•	0-
13	9	•	(1)	.02E-0	.90E-0
14	672.45	14.87	6.1813E+00	.50E-0	.50E-0
15		15.25	2.3395E+00	.30E-0	9.28E-02
16	993.20	10.07	1.0039E+00	2.06E-03	9
17	ო	4.34	4,0186E+02	.05E-0	.10E-0
	-	14.93	7,0371E+00	۲.	.16E-0
	021.2	•	.4932E	۲.	.23E-0
	3244.90	3.08	3.4551E-05	3.22E-10	.29E-1
21	2324.18	ო.	8.3578E+02	.98	•
	1006.70	9.93	1.6244E+00	2.73E-03	.71E-0
	005.9	ù	.8183E-0	.74	.52E-1
	4	ო.	36	5.02E-03	•
	650.3	2.74	.4594	1.13E-04	E-0
	4753.45	2.10	3	1.44E-11	1.46E-16

The composite-band wavenumbers in Table 6, however, are not determined by simply taking the differences between the composite-state energies shown in Table 3. Rather, they are computed using the method applied to multiplet atomic spectra (Ref. 73). This is because the average frequency, or wavelength, of a composite band depends on the weighting of its constituent bands according to their respective transition probabilities. Specifically, let N be an upper composite state with component states n, and let N' be a lower composite state with component states n'. We then define the average wavelength $\lambda_{NN'}$ and wavenumber $\tilde{\nu}_{NN'}$ as follows:

$$\lambda_{nN'} = \frac{\sum_{n'} \lambda_{nn'} A_{nn'}}{\sum_{n'} A_{nn'}} \tag{8}$$

$$\lambda_{NN'} = \frac{\sum_{n} g_n \lambda_{nN'}}{\sum_{n} g_n} \tag{9}$$

$$\tilde{\nu}_{NN'} = 1/\lambda_{NN'} \qquad . \tag{10}$$

The Einstein A coefficients for the individual bands in Table 5 were derived from the band strengths in Reference 68 using the relation (Refs. 69, 70)²

$$A_{nm} = 7.540 \times 10^{11} \frac{\tilde{\nu}_{nm}^2 Q_V(T_0) S_v^0 e^{c_2 E_m/T_0}}{g_n I_a (1 - e^{-c_2 \tilde{\nu}_{nm}/T_0})} \qquad (11)$$

Here, $Q_V(T_0)$ is the vibrational partition function for CO_2 at temperature $T_0 = 296^{\circ}K$ (taken to be 1.0931), c_2 is the second radiation constant (hc/k = 1.43879), E_m is the energy (cm⁻¹) of the lower state, g_n is the statistical weight of the upper state, I_a is the isotopic abundance, and S_v^0 is the band strength, in units of cm⁻¹/(molecule cm⁻²), tabulated in Reference 68. Tables 5 and 6 pertain to the major isotope (626) with abundance 0.98414.

The Einstein A coefficients in Table 6 for the composite bands are defined in terms of the A values and wavelengths of the component bands by the relation

$$A_{NN'} = \frac{\sum_{n,n'} g_n \lambda_{nn'}^3 A_{nn'}}{\lambda_{NN'}^3 \sum_n g_n} . \tag{12}$$

²Equation 10 in Reference 68 should not contain the factor g'' and Equation 1 in Reference 69 should not contain the factor g_i .

The factors ρB are the product of the radiation field density (at wavenumber $\tilde{\nu}_{nm}$) and the Einstein B coefficient for absorption and represent the rate (sec⁻¹ molecule ⁻¹) at which the radiation field induces transitions from the lower state m to the upper state n. The values are given for day and night conditions and assume optical thinness. The nighttime values, based on earthshine from a flat black body earth at temperature $T_E(288^\circ K)$ radiating into 2π steradians, can be represented by the equation (Ref. 71)

$$(\rho B)^{E} = \frac{1}{2} (g_{n}/g_{m}) A_{nm} \left(e^{c_{2}\tilde{\nu}_{nm}/T_{E}} - 1 \right)^{-1} . \tag{13}$$

For sunlight conditions, we assume a 6000 °K black-body sun that subtends a solid angle of 6.8×10^{-5} ster at the earth. The appropriate equation (Ref. 71) is

$$(\rho B)^S = 5.4 \times 10^{-6} (g_n/g_m) A_{nm} \left(e^{2.391 \times 10^{-4} \bar{\nu}_{nm}} - 1 \right)^{-1} \qquad . \tag{14}$$

The daytime values for ρB are given by the sum of Equations 13 and 14.

We emphasize that Equations 13 and 14 are valid only for optically-thin conditions for which attenuation of earthshine by the atmosphere above the earth's surface, and of sunlight below the top of the atmosphere, are negligible. These conditions are severely violated for the stronger bands of CO_2 , especially for the ν_2 and ν_3 transitions that terminate on the ground state (individual bands 1 and 7 in Table 4). For these and other bands that may be optically thick, transmission effects cannot be neglected and the energy density of the radiation field from the external sources (earth and sun) is altitude dependent. The values for ρB given in Tables 5 and 6 are based on Equations 13 and 14 and, as such, they disregard the issue of optical thickness. For those bands that are optically thick (particularly bands 1 and 7 in Table 5 and 1 and 4 in Table 6), the ρB values should be considered as upper limits.

As to the uncertainty in the parameter values shown in Tables 3, 5 and 6, Reference 68, that forms the basis for most of these values, states that the individual energy levels and band wavenumbers are good to within 0.001 cm⁻¹, and the band intensities (and hence Einstein coefficients) to about 10 percent.

SECTION 5

LIST OF REFERENCES

- 1. Taylor, R. L., and S. Bitterman, "Survey of Vibrational Relaxation Data for Processes Important in the $CO_2 N_2$ Laser System," Rev. Mod. Phys. 41, 26 (1969).
- 2. Taylor, R. L., "Energy Transfer Processes in the Stratosphere," Can. J. Chem. 52, 1436 (1974).
- 3. Bass, H. E., "Vibrational Relaxation in CO_2/O_2 Mixtures," J. Chem. Phys. <u>58</u>, 4783 (1973).
- 4. Shields, F. D. et al., "Acoustical Method of Obtaining Vibrational Transition Rates Tested on CO_2/N_2 Mixtures," J. Chem. Phys. 58, 3837 (1973).
- 5. Simpson, C. J. S. M. et al., "The Vibrational Deactivation of the Bending Mode of CO_2 by O_2 and by N_2 ," Chem. Phys. Lett. 47, 133 (1977).
- 6. Cannemeyer, F., and A. E. De Vries, "Vibrational Relaxation of $CO_2 N_2$ and $CO_2 O_2$ Mixtures," Physica 74, 196 (1974).
- 7. Lunt, S. L. et al., "Rate Constants for the Deactivation of the 15 μm Band of Carbon Dioxide by the Collision Partners CH_3F , CO_2 , N_2 , Ar and Kr over the Temperature Range 300 to 150 K," Chem. Phys. Letts. 115, 60 (1985).
- 8. Center, R. E., "Vibrational Relaxation of CO_2 by O Atoms," J. Chem. Phys. 59, 3523 (1973).
- 9. Taine, J. et al., "A Photoacoustic Study of the Collisional Deactivation of CO_2 by N_2 , CO and O_2 between 160 and 375 K," Chem. Phys. Letts. <u>58</u>, 611 (1978).
- Kerber, R. L. et al., "MD4-A Kinetic Model and Computer Simulation for a Pulsed DF-CO₂ Chemical Transfer Laser," *IEEE J. Quantum Electron* QE-9, 94 (1973).
- 11. Kumer, J. B., and T. C. James, Spire Data Evaluation and Nuclear IR Fluorescence Processes, DNA 6237F, 30 November 1982.
- 12. Allen, D. C. et al., "Low Temperature Fluorescence Studies of the Deactivation of the Bend-Stretch Manifold of CO_2 ," Chem. Phys. 51, 279 (1980).

- 13. Stair, A. T. et al., "Observations of Limb Radiance with Cryogenic Spectral Infrared Rocket Experiment," J. Geophys. Res. 90, 9763 (1985).
- 14. Rosser, W. A. et al., "Deactivation of Vibrationally Excited Carbon Dioxide (ν_3) by Collisions with Carbon Dioxide or with Nitrogen," J. Chem. Phys. <u>50</u>, 4996 (1969).
- 15. McNeal, R. J. et al., "Photoionization of Vibrationally Excited N_2 . II. Quenching by CO_2 and N_2O_1 ," J. Chem. Phys. 57, 4752 (1972).
- 16. Bass, H. E., and S. D. Hottman, "Vibrational Energy Transfer between CO_2 and N_2 at 200 K," J. Chem. Phys. 67, 5966 (1977).
- 17. Bauer, S. H. et al., "Vibrational Relaxation Rates of $CO_2(001)$ with Various Collision Partners for T < 300 K," J. Phys. Chem. 91, 1778 (1987).
- 18. Inoue, G., and S. Tsuchiya, "Vibration-to-Vibration Energy Transfer of $CO_2(00^01)$ with N_2 and CO at Low Temperatures," J. Phys. Soc. Japan 39, 479 (1975).
- 19. Lopez-Puertas, M. et al., "A Non-LTE Radiative Transfer Model for Infrared Bands in the Middle Atmosphere. II. $CO_2(2.7 \text{ and } 4.3\mu m)$ and Water Vapour (6.3 μm) Bands and $N_2(1)$ and $O_2(1)$ Vibrational Levels," J. At. Terr. Phys. 48, 749 (1986).
- 20. Jacobs, R. R. et al., "Rate Constants for the CO_2 02°0 10°0 Relaxation," Phys. Rev. A11, 54 (1975).
- 21. Sharma, R. D., "Near-Resonant Vibrational Energy Transfer Among Isotopes of CO_2 ," Phys. Rev. 177, 102 (1969).
- 22. Rhodes, C. K. et al., "Collisional Relaxation of the 1000 State of Pure CO_2 ," J. Chem. Phys. 48, 5730 (1968).
- 23. LePoutre, F. et al., "Collisional Relaxation in CO₂ between 180 K and 400 K Measured by the Spectrophone Method," Chem. Phys. Letts. 48, 509 (1977).
- 24. Matsui, H., "Vibrational Energy Transfer in CO₂ Diluted in Ar," Chem. Phys. Letts. 19, 197 (1973).
- 25. Huetz-Aubert, M. et al., "An Optic-Acoustic Study of Collisional Vibrational Relaxation of CO_2 with a Diatomic Gas. Application to $CO_2 CO$ and $CO_2 N_2$," Physica 93c, 237 (1978).
- 26. Euchen, A., and E. Numann, "Excitation of Intramolecular Vibrations in Gases and Gas Mixtures by Collisions. Part IV," Z. Phys. Chem. 36B, 163 (1937).
- 27. Lewis, J. W. L., and K. P. Lee, "Vibrational Relaxation in Carbon Dioxide/Water-Vapor Mixtures," J. Acoust. Soc. Am. 38, 813 (1965).

- 28. Leshenyuk, N. S. et al., "Vibrational Relaxation in $CO_2 N_2$ Mixtures," J. Appl. Spectr. 34, 605 (1981).
- 29. Houghton, J. T., "Absorption and Emission by Carbon Dioxide in the Atmosphere," Quart. J. R. Met. Soc. 95, 1 (1969).
- 30. Shields, F. D., and H. E. Bass, "Vibrational Relaxation Rates in N_2/CO_2 Mixtures as Determined from Low-Frequency Sound Absorption Measurements," J. Acoust. Soc. Am. 68, 1210 (1980).
- 31. Buchwald, M. I., and G. J. Wolga, "Vibrational Relaxation of $CO_2(001)$ by Atoms," J. Chem. Phys. 62, 2828 (1975).
- 32. Cramp, J. H. W., and J. D. Lambert, "Vibrational Relaxation of $CO_2(\nu_3)$ by O Atoms," Chem. Phys. Lett. 22, 146 (1973).
- 33. Taine, J., and F. LePoutre, "Determination of Energy Transferred to Rotation-Translation in Deactivation of $CO_2(00^01)$ by N_2 and O_2 and of CO(1) by CO_2 ," Chem. Phys. Lett. 75, 448 (1980).
- 34. Taine, J, and F. LePoutre, "A Photoacoustic Study of the Collisional Deactivation of the First Vibrational Levels of CO_2 by N_2 and CO," Chem. Phys. Lett. 65, 554 (1979).
- 35. Stephenson, J. C., and C. B. Moore, "Temperature Dependence of Nearly Resonant Vibration → Vibration Energy Transfer in CO₂ Mixtures," J. Chem. Phys. 56, 1295 (1972).
- 36. Ryali, S. B. et al., "Collisional Excitation of CO_2 by N_2 , O_2 and Ar," J. Chem. Phys. 76, 5878 (1982).
- 37. Larkin, R. J., Topical Brief: The ARCHON Vibraluminescence Data Base, MRC-NSH-N-85-02, Mission Research Corporation, January 1987.
- 38. Gordiets, B. F. et al., "Numerical Modeling of the Thermospheric Heat Budget," J. Geophys. Res. 87, 4504 (1982).
- 39. Baldwin, R. R. et al., "The Second Limit of Hydrogen + Carbon Monoxide + Oxygen Mixtures," Int. J. Chem. Kinet. 4, 277 (1972) (Review).
- 40. Baulch, D. L. et al., Evaluated Kinetic Data for High Temperature Reactions, Vol.3: Homogeneous Gas Phase Reaction of the $O_2 O_3$ System, the $CO O_2 H_2$ Systems and of Sulphur-Containing Species, Butterworths, London (1976) (Review).
- 41. Tsang, W., and R. F. Hampson, "Chemical Kinetic Data Base for Combustion Chemistry. Part 1. Methane and Related Compounds," J. Phys. Chem. Ref. Data 15, 1087 (1986) (Review).

- 42. Zellner, R., "Non-Arrhenius Behavior in Bimolecular Reactions of the OH Radical," J. Phys. Chem. 83, 18 (1979).
- 43. Gueguen, H. et al., "Temperature Dependence of the Vibration-Vibration Transfer Rates from CO_2 and N_2O Excited in the (00^01) Vibrational Level to $^{14}N_2$ and $^{15}N_2$ Molecules," Chem. Phys. Lett. 35, 199 (1975).
- 44. Rahbee, A., "Vibrationally Inelastic Collision of CO_2 with N_2 and Ar," J. Phys. Chem. 88, 4488 (1984).
- 45. Davis, D. D. et al., "The Hydroperoxyl Radical in Atmospheric Chemical Dynamics: Reaction with Carbon Monoxide," Science 179, 280 (1973).
- 46. Korovkina, T. D., "Rate of Dissociation of CO₂ Molecules in Collisions with Oxygen Atoms," High Energy Chem. 10, 75 (1976).
- 47. Thielen, K., and P. Roth, "Stosswellenuntersuchungen zum Start der Reaktion $CO + O_2$," Ber. Bunsenges, Phys. Chem. 87, 920 (1983).
- 48. Michel, K. W. et al., Z. Physik. Chem. N.F. 39, 129 (1963).
- 49. Davies, W. O., "Carbon Dioxide Dissociation at 3500" to 6000" K," J. Chem. Phys. 41, 1846 (1964).
- 50. Steinberg, M., NASA CR-166 (1965).
- 51. Fishburne, E. S. et al., "Gaseous Reaction Rates at High Temperature. I. The Dissociation of Carbon Dioxide," J. Chem. Phys. 45, 160 (1966).
- 52. Kondratiev, V. N., Rate Constants of Gas Phase Reactions Reference Book, Academy of Sciences, USSR (1970). English translation in National Bureau of Standards COM-72-10014 (1972).
- 53. Lindinger, W. et al., "Temperature Dependence of Some Ionospheric Ion-Neutral Reactions from 300° 900° K," J. Geophys. Res. 79, 4753 (1974).
- 54. Smith, D. et al., "A Laboratory Study of the Reactions of N^+ , N_2^+ , N_3^+ , N_4^+ , O^+ , O_2^+ and NO^+ Ions with Several Molecules at 300 K," J. Chem. Phys. 69, 308 (1978).
- 55. Tichy, M. et al., "A Study of the Reactions of the Ground and Metastable States of C^+ , N^+ , S^+ and N_2^+ at 300 K," Int. J. Mass. Spec. Ion Phys. 29, 231 (1979).
- 56. Lin, C., and F. Kaufman, "Reactions of Metastable Nitrogen Atoms," J. Chem. Phys. 55, 3760 (1971).

- 57. Dunkin, D. B. et al., "Ion-Molecule Reaction Studies from 300° to 600° K in a Temperature-Controlled Flowing Afterglow System," J. Chem. Phys. 49, 1365 (1968).
- 58. Black, G. et al., "Vacuum-Ultraviolet Photolysis of N_2O . IV. Deactivation of $N(^2D)$," J. Chem. Phys. 51, 116 (1969).
- 59. Husain, D. et al., "Kinetic Study of Electronically Excited Nitrogen Atoms $N(^2D_j,^2P_j)$, by Attenuation of Atomic Resonance Radiation in the Vacuum Ultra-Violet," J. Chem. Soc. Farad. 2 70, 1721 (1974).
- 60. Black, G., and R. L. Sharpless, Unpublished Data (1975).
- 61. Schofield, K., "Critically Evaluated Rate Constants for Gaseous Reactions of Several Electronically Excited Species," J. Phys. Chem. Ref. Data 8, 723 (1979).
- 62. Fehsenfeld, F. C. et al., "Rate Constants for the Reaction of CO_2^+ with O, O_2 and NO; N_2^+ with O and NO; and O_2^+ with NO," Planet. Space. Sci. 18, 1267 (1970).
- 63. Weller, C. S., and M. A. Biondi, "Measurements of Dissociative Recombination of CO_2^+ Ions with Electrons," Phys. Rev. Letts. 19, 59 (1967).
- 64. Kennealy, J. P. et al., ARCHON-22, V. I, DNA-TR-89-65-V1, Mission Research Corporation, 10 March 1989.
- 65. Scheibe, M., Physical Research, Inc., Private Communication, December 1989.
- 66. Albritton, D. L., "Ion-Neutral Reaction-Rate Constants Measured in Flow Reactors through 1977," Atomic Data and Nuclear Data Tables 22, 1 (1978).
- 67. Miller, T. M. et al., "Temperature Dependence of the Ion-Molecule Reactions $N^+ + CO$, $C^+ + NO$, and C^+ , CO^+ $CO_2^+ + O_2$ from 90-450 K," J. Chem. Phys. 80, 4922 (1984).
- 68. Rothman, L. S., "Infrared Energy Levels and Intensities of Carbon Dioxide. Part 3," Appl. Opt. 25, 1795 (1986).
- 69. Rothman, L. S. et al., "The HITRAN Database: 1986 Edition," Appl. Opt. 26, p.4059, 4058 (1987).
- 70. Penner, S. S., Quantitative Molecular Spectroscopy and Gas Emissivities, p. 19, Addison-Wesley Co. (1959).
- 71. Archer, D. H., A Unified Model of Vibraluminescence and Thermal Emission, DNA-TR-86-221, Mission Research Corporation, 30 June 1986.

- 72. Archer, D. H., A Unified Model of Vibraluminescence and Thermal Emission: Supplement, DNA-TR-86-221-SUP, Mission Research Corporation, 15 August 1987.
- 73. Wiese, W. L. et al., Atomic Transition Probabilities, NSRDS-NBS 4, National Bureau of Standards, 20 May 1966.
- Bulos, B. R., and A. V. Phelps, "Excitation of the 4.3-μm Bands of CO₂ by Low-Energy Electrons," Phys. Rev. A14, 615 (1976).
- 75. Register, D. F. et al., "Elastic Scattering and Vibrational Excitation of CO_2 by 4, 10, 20 and 50 eV Electrons," J. Phys. B: At. Mol. Phys. 13, 1651 (1980).
- 76. Thirumalai, D., and D. G. Thuhlar, "Excitation of the Asymmetric Stretch Mode of CO_2 by Electron Impact," J. Chem. Phys. 75, 5207 (1981).
- 77. Whitten, B. L., and N. F. Lane, "Near-Threshold Vibrational Excitation in Electron-CO₂ Collisions: A Simple Model," Phys. Rev. A26, 3170 (1982).
- 78. Kochem, K-H. et al., "Elastic Electron Scattering and Vibrational Excitation of CO_2 in the Threshold Energy Region," J. Phys. B: At. Mol. Phys. 18, 4455 (1985).
- 79. Kiefer, J. H., "Densitometric Measurements of the Rate of Carbon Dioxide Dissociation in Shock Waves," J. Chem. Phys. 61, 244 (1974).
- 80. Dean, A. M., and D. C. Steiner, "A Shock Tube Study of the Recombination of Carbon Monoxide and Oxygen Atoms," J. Chem. Phys. 66, 508 (1977).
- 81. Slanger, T. G. et al., "Kinetics of $O(^3P) + CO + M$ Recombination," J. Chem. Phys. 57, 233 (1972).
- 82. Troe, J., "Shock Wave Studies of Elementary Chemical Processes," International Shock Tube Symposium, 10th, p. 29 (1975).
- 83. JANAF Thermochemical Tables, Third Edition, 1985.

DISTRIBUTION LIST

DNA-TR-90-92

DEPARTMENT OF DEFENSE

ASSISTANT TO THE SECRETARY OF DEFENSE ATTN: EXECUTIVE ASSISTANT

DEFENSE COMMUNICATIONS AGENCY ATTN: C4S/SSM, DR P CROWLEY

DEFENSE INTELLIGENCE AGENCY ATTN: RTS-2B

DEFENSE NUCLEAR AGENCY

ATTN: PRPD R YOHO

ATTN: RAAE

ATTN: RAAE D RIGGIN ATTN: RAAE K SCHWARTZ

ATTN: RAAE L WITTWER ATTN: RAAE S BERGGREN

4 CYS ATTN: TITL

DEFENSE NUCLEAR AGENCY

ATTN: TDNM ATTN: TDTT

2 CYS ATTN: TDTT W SUMMA

DEFENSE TECHNICAL INFORMATION CENTER

2 CYS ATTN: DTIC/FDAB

STRATEGIC AND THEATER NUCLEAR FORCES

ATTN: DR E SEVIN

STRATEGIC DEFENSE INITIATIVE ORGANIZATION

ATTN: CS

ATTN: EN

ATTN: PTP COL RIVA

ATTN: PTP LTC SEIBERLING

2 CYS ATTN: SDIO/TNS, MAJ IMKER

ATTN: TN/DR M GRIFFIN

DEPARTMENT OF THE ARMY

U S ARMY ATMOSPHERIC SCIENCES LAB

3 CYS ATTN: SLCAS-AE-E

ATTN: SLCAS-AS-M MR R OLSEN

U S ARMY FOREIGN SCIENCE & TECH CTR

ATTN: AIFRTA

U.S. ARMY MISSILE COMMAND

ATTN: AIAMS-S/B J GAMBLE

U S ARMY NUCLEAR & CHEMICAL AGENCY

ATTN: MONA-NU D BASH

U S ARMY NUCLEAR EFFECTS LABORATORY

ATTN: ATAA-PL

U S ARMY RESEARCH OFFICE

ATTN: R MACE

U S ARMY STRATEGIC DEFENSE CMD

ATTN: CSSD-H-SA

ATTN: CSSD-IN-T M POPE

ATTN: CSSD-SA-EV RON SMITH

DEPARTMENT OF THE NAVY

NAVAL OCEAN SYSTEMS CENTER ATTN: CODE 542 R PAPPERT

NAVAL POSTGRADUATE SCHOOL ATTN: CODE 1424 LIBRARY

NAVAL RESEARCH LABORATORY

ATTN: CODE 2627 (TECH LIB) ATTN: CODE 4121.8 H HECKATHORN

ATTN: CODE 4700 W ALI

ATTN: CODE 4700 S OSSAKOW

ATTN: CODE 4700.3 P PALMADESSO

NAVAL SURFACE WARFARE CENTER

ATTN: CODE E232 (TECH LIB)

OFFICE OF NAVAL RESEARCH

ATTN: CODE 1112

DEPARTMENT OF THE AIR FORCE

AIR FORCE GEOPHYSICS LABORATORY

ATTN: OP/A GIANETTI ATTN: OP/A RATKOSKY ATTN: OP/D PAULSEN ATTN: OP/E GOOD ATTN: OP/W BLUMBERG

ATTN: OP/W BLUMBERG ATTN: OPE/H GARDINER

AIR FORCE OFFICE OF SCIENTIFIC RSCH

ATTN: AFOSR/NC ATTN: AFOSR/NP

AIR FORCE TECHNICAL APPLICATIONS CTR

ATTN: STINFO/J MILAM

AIR UNIVERSITY LIBRARY

ATTN: AUL-LSE

NATIONAL TEST FACILITY

ATTN: NTB/JPO DR C GIESE

ROME AIR DEVELOPMENT CENTER, AFSC

ATTN: OCD J SIMONS

SPACE DIVISION/YA

ATTN: YAR

STRATEGIC AIR COMMAND/INCR

ATTN: INCP

USAFETAC/CB

ATTN: CBTL STOP 825

WEAPONS LABORATORY

ATTN: WL/SUL

DNA-TR-90-92 (DL CONTINUED)

DEPARTMENT OF ENERGY

DEPARTMENT OF ENERGY
OFFICE OF MILITARY APPLICATIONS
ATTN: G K WITHERS

DEPARTMENT OF ENERGY ATTN: F SPENCER

LAWRENCE LIVERMORE NATIONAL LAB ATTN: L-84 A GROSSMAN ATTN: L-84 G SIMONSON ATTN: L-84 H KRUGER

LOS ALAMOS NATIONAL LABORATORY
ATTN: A110 O JUDD
ATTN: E543 HUGHES, W M
ATTN: W BARFIELD
ATTN: REPORT LIBRARY

SANDIA NATIONAL LABORATORIES

ATTN: CODE 9014 R BACKSTROM ATTN: ORG 1231, J R LEE ATTN: TECH LIB 3141 (RPTS REC CLRK)

ATTN: 2000 G T CHENEY

OTHER GOVERNMENT

CENTRAL INTELLIGENCE AGENCY
ATTN: OSWR/NED
ATTN: OSWR/SSD FOR L BERG

DEPARTMENT OF COMMERCE

ATTN: SEC OFC FOR J COOPER ATTN: SEC OFC FOR L GEVANTMAN ATTN: SEC OFC FOR R HAMPSON JR

DEPARTMENT OF COMMERCE
ATTN: ASSISTANT ADMINISTRATOR, RD

NASA

ATTN: CODE 620 H TAYLOR ATTN: CODE 625 J HEPPNER ATTN: CODE 625 M SUGIURA ATTN: CODE 680. A TEMPKIN ATTN: J VETTE

NASA

ATTN: CODE JM6 TECHNICAL LIBRARY

NASA HEADQUARTERS

ATTN: E SCHMERLING, CODE EL ATTN: R SCHIFFER

ATTN: 1 SCHARDT, CODE EE

NATIONAL OCEANIC & ATMOSPHERIC ADMIN

ATTN: D ALBRITTON ATTN: W SPJELDVIK

NATIONAL SCIENCE FOUNDATION
ATTN: DIV OF ATMOS SCI R MCNEAL

DEPARTMENT OF DEFENSE CONTRACTORS

AERODYNE RESEARCH, INC ATTN: C KOLB

AEROSPACE CORP ATTN: C CREWS

ATTN: C RICE ATTN: G LIGHT ATTN: J REINHEIMER

AVCO RESEARCH LABORATORY, INC ATTN: C VON ROSENBERG JR

BERKELEY RSCH ASSOCIATES, INC ATTN: J WORKMAN

BOSTON COLLEGE, TRUSTEES OF ATTN: E HEGBLOM ATTN: W GRIEDER

CHEM DATA RESEARCH
ATTN: K SCHOFIELD

EOS TECHNOLOGIES, INC ATTN: B GABBARD ATTN: R LELEVIER

ERIM ATTN:

ATTN: IRIA LIBRARY

GENERAL RESEARCH CORP ATTN: R REIN

GENERAL RESEARCH CORP INC ATTN: J EOLL

HSS, INC

ATTN: D HANSEN ATTN: M SHULER

INSTITUTE FOR DEFENSE ANALYSES ATTN: DR W JEFFREY

ATTN: E BAUER ATTN: H WOLFHARD

JAMIESON SCIENCE & ENGINEERING ATTN: J JAMIESON

JOHNS HOPKINS UNIVERSITY ATTN: J KAUFMAN

KAMAN SCIENCES CORP ATTN: P TRACY

KAMAN SCIENCES CORP ATTN: DASIAC ATTN: E CONRAD

ATTN: G DITTBERNER

KAMAN SCIENCES CORPORATION ATTN: D PIRIO

DNA-TR-90-92 (DL CONTINUED)

KAMAN SCIENCES CORPORATION

ATTN: B GAMBILL

5 CYS ATTN: DASIAC

ATTN: R RUTHERFORD

KMS FUSION, INC

ATTN: LIBRARY

LOCKHEED MISSILES & SPACE CO, INC

ATTN: B MCCORMAC

ATTN: J CLADIS

ATTN: J EVANS

ATTN: J HENLEY

ATTN: J KUMER

ATTN: J REAGAN

ATTN: M WALT

ATTN: R SEARSDONNELL DOUGLAS CORP

ATTN: T CRANOR MAIL CODE 1061221

MCDONNELL DOUGLAS CORPORATION

ATTN: J GROSSMAN

ATTN: R HALPRIN

MISSION RESEARCH CORP

ATTN: J KENNEALY

ATTN: R ARMSTRONG

ATTN: S DOWNER

ATTN: W WHITE

MISSION RESEARCH CORP

2 CYS ATTN: DH ARCHER

ATTN: D LANDMAN 2 CYS ATTN: TECH LIBRARY

NICHOLS RESEARCH CORP. INC.

ATTN: R BYRN

PACIFIC-SIERRA RESEARCH CORP

ATTN: E FIELD JR

ATTN: H BRODE

PENNSYLVANIA STATE UNIVERSITY

ATTN: J NISBET

ATTN: L HALE

PHOTOMETRICS, INC.

ATTN: 1 L KOFSKY

PHOTON RESEARCH ASSOCIATES

ATTN: D BURWELL

PHYSICAL RESEARCH, INC. ATTN: T STEPHENS

PHYSICAL RESEARCH, INC

ATTN: J DEVORE

ATTN: J JORDANO

PHYSICAL SCIENCES, INC.

ATTN: G CALEDONIA

PITTSBURGH, UNIV OF THE COMMONWEALTH

ATTN: M BIONDI

R & D ASSOCIATES

ATTN: F GILMORE

ATTN: R LAHER

RJO ENTERPRISES/POET FAC

ATTN: STEVEN KRAMER

ATTN: W BURNS

SCIENCE APPLICATIONS INTL CORP

ATTN: D SACHS

SCIENCE APPLICATIONS INTL CORP

ATTN: E HYMAN

SRI INTERNATIONAL

ATTN: W CHESNUT

TELEDYNE BROWN ENGINEERING

ATTN: J CATO

ATTN: TECHNICAL LIBRARY (P SHELTON)

ATTN: N PASSINO

TOYON RESEARCH CORP

ATTN: JISE

TRW INC

ATTN: TECH INFO CTR, DOC ACO

UNITED TECHNOLOGIES RESEARCH CTR

ATTN: H MICHELS

VISIDYNE, INC

ATTN: J CARPENTER

WESTINGHOUSE ELECTRIC CORP

ATTN: P CHANTRY